

AZ 5214 E Photoresist Substance No.: SXR081505 Version 1.0 DE-GHS	0005 Revision Date 1	7.04.2015	Print Date 13.08.2015
SECTION 1: Identification of the s	substance/mixture	and of the company/unc	lertaking
1.1 Product identifier			
Trade name	: AZ 5214 E Photo	presist 0005	
1.2 Relevant identified uses of the	e substance or mix	ture and uses advised a	igainst
Use of the Substance/Mixture	: Electronic indust Intermediate for	ry electronic industry	
1.3 Details of the supplier of the s	afety data sheet		
Company	:		
E-mail address of person responsible for the SDS	: <u>PSE@merckgro</u>	up.com	
1.4 Emergency telephone numbe	r		
Emergency telephone number	:		
SECTION 2: Hazards identificatio	n		
2.1 Classification of the substance	e or mixture		
Classification (REGULATION	(EC) No 1272/2008	3)	
GHS Classification			
Flammable liquids, Category 3	H226	: Flammable liquid and va	apour.
2.2 Label elements			
GHS-Labelling			
Symbol(s)			
Signal word	Warning		
Hazard statements	H226	Flammable liquid and v	apour.
Precautionary statements	Prevention: P210	Keep away from heat/s	parks/open

1 / 13



AZ 5214 E Photoresist

0005

Print Date 13.08.2015

Substance No.: SXR081505 Version 1.0 DE-GHS Revision Date 17.04.2015

P280flames/hot surfaces. - No smoking.P280Wear protective gloves/ protective clothing/
eye protection/ face protection.Response:P303 + P361 + P353IF ON SKIN (or hair): Remove/ Take
off immediately all contaminated clothing.
Rinse skin with water/ shower.P370 + P378In case of fire: Use dry sand, dry chemical
or alcohol-resistant foam for extinction.

Storage: P403 + P235 Store in a well-ventilated place. Keep cool.

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical characterization

Preparation of polymer resins and diazo compounds in organic solvents (halogenfree).

Hazardous components

nazaraeae eempenenae		
3,5-Bis(hydroxymethyl)-p-cr CAS-No. EC-No. Classification (REGULATION (EC) No 1272/2008) Concentration [%]	::	I 91-04-3 202-036-4 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 >= 1 - < 3
2-methoxypropyl acetate CAS-No. EC-No. Classification (REGULATION (EC) No 1272/2008)	::	70657-70-4 274-724-2 Flam. Liq. 3; H226 Repr. 1B; H360D STOT SE 3; H335

: < 0.3

Concentration [%]

WEL substance :

2-methoxy-1-methylethyl acetate			
CAS-No.	:	108-65-6	
EC-No.	:	203-603-9	



AZ 5214 E Photoresist

Substance No.: SXR081505 Version 1.0 DE-GHS 0005

Revision Date 17.04.2015

Print Date 13.08.2015

: 01-2119475791-29-xxxx
: Flam. Liq. 3; H226
: >= 50 - <= 100

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 Take off all contaminated clothing immediately. If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.
Inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Wash off immediately with plenty of water. If skin irritation persists, call a physician.
Eye contact	: Immediately flush eye(s) with plenty of water. Protect unharmed eye. Remove contact lenses.
Ingestion	: If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet Foam Dry powder Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

Specific hazards during	: In case of fires, hazardous combustion gases are formed:
firefighting	Carbon monoxide (CO)



AZ 5214 E Photoresist

0005

Print Date 13.08.2015

Substance No.: SXR081505 Version 1.0 DE-GHS Revision Date 17.04.2015

	Nitrous gases (NOx) Sulphur dioxide (SO2)
5.3 Advice for firefighters	
Special protective equipment for firefighters	 Well closed full protective clothing (coat and pants) including helmet. In the event of fire, wear self-contained breathing apparatus.
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
SECTION 6: Accidental release n	neasures
6.1 Personal precautions, protec	tive equipment and emergency procedures
Personal precautions	: Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions	
Environmental precautions	: Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.
6.3 Methods and materials for co	ontainment and cleaning up
Methods for cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.
6.4 Reference to other sections	
Additional advice	: Information regarding Waste Disposal, see chapter 13.
SECTION 7: Handling and storag	je
7.1 Precautions for safe handling	3
Advice on safe handling	: Provide sufficient air exchange and/or exhaust in work rooms.
Advice on protection against fire and explosion	: Keep away from sources of ignition
7.2 Conditions for safe storage, i	including any incompatibilities
Requirements for storage areas and containers	: Store in original container.
	4/13



AZ 5214 E Photoresist

0005

Print Date 13.08.2015

Substance No.: SXR081505 Version 1.0 DE-GHS Revision Date 17.04.2015

Further information on
storage conditions: Keep container tightly closed in a dry and well-ventilated
place.
Protect against light.

Advice on common storage : Keep away from food and drink.

7.3 Specific end use(s)

: No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components	:	2-methoxy-1-methylethyl acetate	
CAS-No.	:	108-65-6	
Value	:	AGW	
Control parameters	:	50 ppm 270 mg/m3	
Category short-time exposure	:	1;(l)	
Update	:	2006-01-01	
Basis	:	DE TRGS 900	
Further information	:	: DFG: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).European Union (The EU h established a limit value: deviations in value and peak limit are possible)When there is compliance with the OEL and biological toleranc values, there is no risk of harming the unborn child	

Components	:	2-methoxypropyl acetate
CAS-No.	:	70657-70-4
Value	:	AGW
Control parameters	:	5 ppm 28 mg/m3
Category short-time exposure	:	8;(II)
Update	:	2006-01-01
Basis	:	DE TRGS 900
Further information	:	DFG: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).Skin absorptionWhen there is compliance with the OEL and biological tolerance values, harm to the unborn child can not be excluded

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

2-methoxy-1-methylethyl

: End Use: Workers



AZ 5214 E Photoresist

Substance No.: SXR081505 Version 1.0 DE-GHS 0005

Revision Date 17.04.2015

Print Date 13.08.2015

acetate	Exposure routes: Skin contact Potential health effects: Chronic effects Value: 54,8 mg/kg
	End Use: Workers Exposure routes: Inhalation Potential health effects: Chronic effects Value: 33 mg/m3
	End Use: Workers Exposure routes: Ingestion Potential health effects: Chronic effects 1,67 mg/kg
	End Use: Consumers Exposure routes: Skin contact Potential health effects: Chronic effects 153,5 mg/kg
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Chronic effects 275 mg/kg
	ration (PNEC) according to Regulation (EC) No. 1907/2006:
2-methoxy-1-methylethyl acetate	: Fresh water Value: 0,635 mg/l
	Marine water Value: 0,0635 mg/l
	Fresh water sediment Value: 3,29 mg/kg
	Marine sediment Value: 0,329 mg/kg
	Soil Value: 0,29 mg/kg
8.2 Exposure controls	
Engineering measures	
Provide sufficient air exchange	and/or exhaust in work rooms.
Personal protective equipment	nt
Respiratory protection	: Use respiratory protection in case of insufficient exhaust
	6/13



Z 5214 E Photoresis		
ubstance No.: SXR081505 ersion 1.0 DE-GHS	Revision Date 17.04.2015	Print Date 13.08.20
	ventilation or prolonged exposure Recommended Filter type: ABEK-filter	
Hand protection	 Break through time: > 10 min Glove thickness: > 0,4 mm For short-term exposure (splash prote Nitrile rubber gloves. Remarks: These types of protective g various manufacturers. Please note th detailed statements, especially about and the minimum breakthrough time. particular working conditions under w used. 	loves are offered by he manufacturers the minimum thickness Consider also the
Eye protection	: Tightly fitting safety goggles	
Skin and body protection	: protective clothing	
Hygiene measures	: When using do not eat, drink or smok Keep away from food and drink. Wash hands before breaks and at the Use barrier skin cream.	
Protective measures	: Do not breathe vapours or spray mist Avoid contact with skin and eyes. Observe the usual precautions for ha	
Environmental exposure of	controls	
General advice	: Do not flush into surface water or san Avoid subsoil penetration.	itary sewer system.
CTION 9: Physical and cher	nical properties	
Information on basic physi	cal and chemical properties	
Appearance		
Form Colour	: Liquid : yellow to red	
Odour	: ester-like	
Safety data		
Flash point	: approx. 42 °C	
Ignition temperature	: not determined	
Thermal decomposition	: not determined	
	7 / 13	



AZ 5214 E Photoresist

Substance No.: SXR081505 Version 1.0 DE-GHS

0005

Revision Date 17.04.2015

Print Date 13.08.2015

	Strong acids Bases
10.5 Incompatible materials Materials to avoid	: Oxidizing agents
Conditions to avoid	: Heat, flames and sparks.
10.4 Conditions to avoid	
Hazardous reactions	: Incompatible with oxidizing materials.
10.3 Possibility of hazardous rea	
No decomposition if stored an	nd applied as directed
10.2 Chemical stability	
No dangerous reaction knowr	n under conditions of normal use.
SECTION 10: Stability and reacti 10.1 Reactivity	IVIty
Further information	: Remarks: No information available.
9.2 Other information	
Evaporation rate	: not determined
metals	
Relative vapour density	: not determined
Viscosity, dynamic Viscosity, kinematic Relative vapour density Corrosive in contact with metals	: not determined
Solubility in other solvents Viscosity, dynamic	
n-octanol/water	
Partition coefficient:	layers. : not determined
Water solubility	: The solvent is partially water soluble but the product forms two
Density	: approx. 3 final, 20 °C : approx. 1 g/cm3, 20 °C
Sublimation point Vapour pressure	: not determined : approx. 5 hPa, 20 °C
Starts to boil	: from 145 °C
Freezing point	: not determined
pH	: Not applicable
Auto-ignition temperature Burning number	: not determined
Oxidizing properties	: not determined : not determined
Flammability (solid, gas)	: not determined
	: not determined



AZ 5214 E Photoresist

0005

Print Date 13.08.2015

Substance No.: SXR081505 Version 1.0 DE-GHS Revision Date 17.04.2015

10.6 Hazardous decomposition products

Hazardous decomposition : No decomposition if stored and applied as directed. products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Acute oral toxicity	: no data available
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitisation	: no data available
Further information	: no data available

Components:

3,5-Bis(hydroxymethyl)-p-cresol :

Skin corrosion/irritation		Result: Irritating to skin.
Serious eye damage/eye irritation	:	Result: Irritating to eyes.
STOT - single exposure	:	Assessment: May cause respiratory irritation.
0		
2-methoxypropyl acetate : Reproductive toxicity	:	May damage the unborn child.
2-methoxy-1-methylethyl acetate :		
Acute oral toxicity	:	LD50: > 8.532 mg/kg, rat(female)
Acute inhalation toxicity	:	LC50: > 10,8 mg/l, 6 h, rat,
Acute dermal toxicity	:	LD50: > 5.000 mg/kg, rabbit

SECTION 12: Ecological information

12.1 Toxicity

Components:



5

AZ 5214 E Photoresist Substance No.: SXR081505 Version 1.0 DE-GHS	0005 Revision Date 17.04.2015	Print Date 13.08.201
2-methoxy-1-methylethyl ace		
Toxicity to fish	: LC50 (Oryzias latipes (Orange-red ki Exposure time: 96 h Test Type: semi-static test	llifish)): 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): Exposure time: 48 h	373 mg/l
12.2 Persistence and degradabili	ty	
<u>Components:</u> 2-methoxy-1-methylethyl ace	etate :	
Biodegradability	: Result: Readily biodegradable. Biodegradation: 99 % Exposure time: 28 d	
12.3 Bioaccumulative potential		
Components:		
2-methoxy-1-methylethyl ace Bioaccumulation	etate: : Remarks: Bioaccumulation is unlikely	I.
Partition coefficient: n- octanol/water	: log Pow: 1,2	
12.4 Mobility in soil		
Components:		
2-methoxy-1-methylethyl ace Distribution among environmental compartments	etate: : Koc: 1,7Remarks: Highly mobile in so	bils
12.5 Results of PBT and vPvB as	sessment	
Components:		
2-methoxy-1-methylethyl ace Assessment	etate : : The substance does not fulfill the PB does not fulfill the vPvB criteria	T criteria The substance
12.6 Other adverse effects		
Product:		
Additional ecological information	: no data available	



AZ 5214 E Photoresist

0005

Print Date 13.08.2015

Substance No.: SXR081505 Version 1.0 DE-GHS Revision Date 17.04.2015

SECTION 13: Disposal considera	ations						
13.1 Waste treatment methods							
Product	: Dispose of contents/ container to an approved waste disposal plant.						
Contaminated packaging	: Dispose of as unused product.						
SECTION 14: Transport informat	lion						
ADR							
UN number	: 1993						
	: FLAMMABLE LIQUID, N.O.S. (2-Methoxy-1-methylethyl acetate)						
Class	: 3						
Packing group	: III						
Classification Code	: F1						
Labels	: 3						
Environmentally hazardous	: no						
ΙΑΤΑ							
UN number	: 1993						
Description of the goods	: Flammable liquid, n.o.s. (2-Methoxy-1-methylethyl acetate)						
Class	: 3						
Packing group	: III						
Labels	: 3						
Environmentally hazardous	: no						
IMDG							
UN number	: 1993						
Description of the goods	: FLAMMABLE LIQUID, N.O.S. (2-Methoxy-1-methylethyl acetate)						
Class	: 3						
Packing group	:						
Labels	: 3						
EmS Number 1	: F-E						
EmS Number 2	: S-E						
Marine pollutant	: no						
RID							
UN number	: 1993						
Description of the goods	: FLAMMABLE LIQUID, N.O.S. (2-Methoxy-1-methylethyl acetate)						
Class	: 3						
	11 / 13						

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ 5214 E Photoresist

0005

Print Date 13.08.2015

Substance No.: SXR081505 Version 1.0 DE-GHS Revision Date 17.04.2015

Packing group : III	
Classification Code : F1 Labels : 3	
Environmentally hazardous : no	
ECTION 15: Regulatory information	
5.1 Safety, health and environmental regulations/legisla	-
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Neither banned nor restricted
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: 108-65-6
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Neither banned nor restricted
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	 This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV)	: Neither banned nor restricted
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Neither banned nor restricted
Regulation (EC) No 850/2004 on persistent organic pollutants	: Neither banned nor restricted
Water contaminating class : 2 water polluting (Germany)	g
	ns of The Water Act for installations ses hazardous to water
5.2 Chemical Safety Assessment	
A Chemical Safety Assessment is not required for a mixi	ture.
ECTION 16: Other information	
Full text of H-Statements referred to under sections	2 and 3.



AZ 5214 E Photoresist

0005

Print Date 13.08.2015

Substance No.: SXR081505 Version 1.0 DE-GHS

Revision Date 17.04.2015

H226
H315
H319
H335
H35
H360D
Flammable liquid and vapour.
Causes skin irritation.
Causes serious eye irritation.
May cause respiratory irritation.
May damage the unborn child.

Decimal notation: "Thousands" places are identified with a dot (example: 2.000 mg/kg means "two thousand mg/kg"). Decimal places are identified with a comma (example: 1,35 g/cm3) **Further information**

Further information : Observe national and local legal requirements

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AZ and the AZ logo are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates.