

Creation Date 20-Oct-2009

Revision Date 08-Jun-2016

Revision Number 6

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

Product Description:	lodine
Cat No. :	I/0500/65, I/0500/53, I/0500/60, I/0500/48, I/0500
CAS-No	7553-56-2
EC-No.	231-442-4
Molecular Formula	12
Reach Registration Number	01-2119485285-30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Sector of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	PC21 - Laboratory chemicals
Process categories	PROC15 - Use as a laboratory reagent
Environmental release category	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

E	Fisher Scientific UK Bishop Meadow Road, Loughborough,
	Leicestershire LE11 5RG, United Kingdom begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166 Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616


SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Physical hazards	
Substances/mixtures corrosive to metal	Category 1
Health hazards	
Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Dusts and Mists	Category 4
Skin Corrosion/irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Specific target organ toxicity - (single exposure)	Category 3
Specific target organ toxicity - (repeated exposure)	Category 1
Environmental hazards	
Acute aquatic toxicity	Category 1

2.2. Label elements

lodine



H400 - Very toxic to aquatic life

Precautionary Statements

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P304 + P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor/ physician if you feel unwell

P273 - Avoid release to the environment

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB) Lachrymator (substance which increases the flow of tears)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
lodine	7553-56-2	EEC No. 231-442-4	>95	Met. Corr. 1 (H290) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335) STOT RE 1 (H372) Aquatic Acute 1 (H400)
Reach Registration Number			01	-2119485285-30

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention.
Protection of First-aiders	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2. Most important symptoms and	effects, both acute and delayed
	No information available.
4.3. Indication of any immediate me	edical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

Hydrogen iodide.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes and inhalation of vapors. Do not breathe dust/fume/gas/mist/vapors/spray.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for

additional ecological information. Avoid release to the environment. Collect spillage.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in metal containers. Keep at temperatures below 25°C.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority.

Component	European Union	The United Kingdom	France	Belgium	Spain
lodine		STEL: 0.1 ppm 15 min	STEL / VLCT: 0.1 ppm.	TWA: 0.01 ppm 8 uren	STEL / VLA-EC: 0.1
		STEL: 1.1 mg/m3 15 min	STEL / VLCT: 1 mg/m ³ .	TWA: 0.1 mg/m ³ 8 uren	ppm (15 minutos).
				STEL: 0.1 ppm 15	STEL / VLA-EC: 1
				minuten	mg/m ³ (15 minutos).
				STEL: 1 mg/m ³ 15	
				minuten	

Component	Italy	Germany	Portugal	The Netherlands	Finland
lodine		Haut			STEL: 0.1 ppm 15 minuutteina STEL: 1.1 mg/m ³ 15 minuutteina Iho

Component	Austria	Denmark	Switzerland	Poland	Norway
lodine	Haut MAK-KZW: 0.1 ppm 15 Minuten MAK-KZW: 1 mg/m ³ 15 Minuten MAK-TMW: 0.1 ppm 8 Stunden MAK-TMW: 1 mg/m ³ 8	Ceiling: 0.1 ppm Ceiling: 1 mg/m ³	Haut/Peau STEL: 0.1 ppm 15 Minuten STEL: 1 mg/m ³ 15 Minuten TWA: 0.1 ppm 8 Stunden TWA: 1 mg/m ³ 8	STEL: 1 mg/m ³ 15 minutach TWA: 0.5 mg/m ³ 8 godzinach	Ceiling: 0.1 ppm Ceiling: 1 mg/m ³
	Stunden		Stunden		

Revision Date 08-Jun-2016

lodine

Ceiling: 0.1 ppm Ceiling: 1 mg/m ³		
--	--	--

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
lodine	TWA: 3.0 mg/m ³	STEL-KGVI: 0.1 ppm 15	STEL: 0.1 ppm 15 min		TWA: 0.1 mg/m ³ 8
	_	minutama.	STEL: 1 mg/m ³ 15 min		hodinách.
		STEL-KGVI: 1.1 mg/m ³	-		Ceiling: 1 mg/m ³
		15 minutama.			

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
lodine	Ceiling: 0.1 ppm		STEL: 0.1 ppm	STEL: 1 mg/m ³ 15	STEL: 0.1 ppm
	Ceiling: 1 mg/m ³		STEL: 1 mg/m ³ TWA: 0.1 ppm	percekben. CK TWA: 1 mg/m ³ 8	STEL: 1 mg/m ³
			TWA: 1 mg/m ³	órában. AK	
				lehetséges borön keresztüli felszívódás	

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
lodine	TWA: 1 mg/m ³	Ceiling: 0.1 ppm			TWA: 0.09 ppm 8 ore
	J J	Ceiling: 1 mg/m ³			TWA: 0.50 mg/m ³ 8 ore
		0 0			STEL: 0.2 ppm 15
					minute
					STEL: 1 mg/m ³ 15
					minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
lodine	Skin notation MAC: 1 mg/m ³	Ceiling: 1.1 mg/m ³ TWA: 0.1 ppm TWA: 1.1 mg/m ³	TWA: 0.1 ppm 8 urah TWA: 1.1 mg/m ³ 8 urah Koža STEL: 0.1 ppm 15 minutah STEL: 1.1 mg/m ³ 15 minutah	CLV: 0.1 ppm CLV: 1 mg/m ³	

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust MDHS70 General methods for sampling airborne gases and vapours

Derived No Effect Level (DNEL)	See table for values			
Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal		0.01 mg/kg/day		0.01 mg/kg/day
Inhalation	1 mg/m ³	1 mg/m ³		0.07 mg/m ³
Predicted No Effect Concentration	See values below.			
(PNEC)				
Fresh water	18.13 ug/l			
Fresh water sediment	3.99 mg/kg			
Marine water	60.01 ug/l			
Marine water sediment	20.22 mg/kg			
Microorganisms in sewage treatment	11.0 mg/kg			
Soil (Agriculture)	5.95 mg/kg			
8.2. Exposure controls				

lodine

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

	love material	Breakthrough time Glove thickness	FII standard	Glove comments	
Ey	e Protection and Protection	Goggles (European standard Protective gloves	I - EN 166)		

Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
Skin and body pro	tection Long sle	eved clothing		

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Small scale/Laboratory use	Recommended Filter type: Particulates filter conforming to EN 143 Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Physical State	Grey Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits	pungent No data available 5.1 113 °C / 235.4 °F No data available 185 °C / 365 °F No information available Not applicable No information available No data available	saturated solution @ 760 mmHg Method - No information available Solid
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density	0.41 hPa @ 25 °C 8.8 No data available ~ 2100 kg/m ³	(Air = 1.0)

Water Solubility	0.3 g/L (20°C)	practically insoluble	
Solubility in other solvents	No information available		
Partition Coefficient (n-octanol/	water)		
Component	log Pow		
lodine	2.49		
Autoignition Temperature			
Decomposition Temperature	No data available		
Viscosity	Not applicable	Solid	
Explosive Properties	No information available		
Oxidizing Properties	No information available		
9.2. Other information			
Molecular Formula	12		
Molecular Weight	253.81		
· · · · · · · · · · · · · · · · · · ·			

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available
<u>10.2. Chemical stability</u> 10.3. Possibility of hazardous react	Stable under normal conditions.
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
10.4. Conditions to avoid	Avoid dust formation. Incompatible products. Excess heat.
10.5. Incompatible materials	Strong oxidizing agents. Powdered metals. Ammonia. Alcohols. copper.

10.6. Hazardous decomposition products

Hydrogen iodide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

lodine

Category 4
Category 4
Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
lodine	315 mg/kg (Rat)	1425 mg/kg(Rabbit)	4.588 mg/L 4h (Rat)
(b) skin corrosion/irritation;	Category 2		
(c) serious eye damage/irritation;	Category 2		
(d) respiratory or skin sensitization Respiratory Skin	Based on available data, the	classification criteria are not met classification criteria are not met	
(e) germ cell mutagenicity;	Based on available data, the	classification criteria are not me	t

lodine

(f) carcinogenicity;	Based on available data, the classification criteria are not met
	There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	Based on available data, the classification criteria are not met
(h) STOT-single exposure;	Category 3
Results / Target organs	Respiratory system.
(i) STOT-repeated exposure;	Category 1
Target Organs	Thyroid.
(j) aspiration hazard;	Not applicable Solid

Symptoms / effects,both acute and No information available delayed

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
lodine	LC50 = 1.67 mg/L 96h	EC50 = 0.55 mg/L 48h		

12.2. Persistence and degradability

Persistence is unlikely.
Not relevant for inorganic substances.
Contains substances known to be hazardous to the environment or not degradable in waste
water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

The Breaccamalative percentian		
Component	log Pow	Bioconcentration factor (BCF)
lodine	2.49	No data available

12.4. Mobility in soilSpillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water
solubility.12.5. Results of PBT and vPvBSubstance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

12.5. Results of PBT and vPvB
assessmentSubstance is not considered persi
and very bioaccumulative (vPvB).

12.6. Other adverse effects Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products	Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalogue, Waste Codes are not product specific, but

Other Information	application specific. Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.
S	ECTION 14: TRANSPORT INFORMATION
IMDG/IMO	
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u>	UN3495 IODINE 8 6.1 III
ADR	
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u>	UN3495 IODINE 8 6.1 III
IATA	
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u>	UN3495 IODINE 8 6.1 III
14.5. Environmental hazards	Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO
14.6. Special precautions for user	No special precautions required
<u>14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</u>	▶ Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories		X = listed									
Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
lodine	231-442-4	-		Х	Х	-	Х	-	Х	Х	Х

National Regulations

lodine

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
lodine	WGK 1	
	WGK 2	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

SECTION 16: OTHER INFORMATION

Full Text of H-/EUH-Statements Referred to Under Section 3

- H290 May be corrosive to metals
- H302 Harmful if swallowed

H312 - Harmful in contact with skin

- H332 Harmful if inhaled
- H315 Causes skin irritation
- H319 Causes serious eye irritation

H335 - May cause respiratory irritation

RPE - Respiratory Protective Equipment

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

LC50 - Lethal Concentration 50%

- H372 Causes damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life

Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemica Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level	TWA - Time Weighted Average IARC - International Agency for Research on Cancer PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

Transport Association

ATE - Acute Toxicity Estimate

VOC - Volatile Organic Compounds

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime **Dangerous Goods Code**

OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Ships

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Chemical incident response training.

This sefety date al	best complian with the requirements of Degulation (FC) No. 400
Revision Summary	Update to Format, SDS sections updated, 4, 7, 8, 9, 11, 12.
Revision Date	08-Jun-2016
Creation Date	20-Oct-2009

This satety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet