

# Safety Data Sheet

rinting date 05/23/2016	Reviewed on 05/23/2
	Kevieweu on 05/25/2
l Identification of the substan	ce/mixture and of the company
· Product identifier	
• Trade name: OmniCoat™	
• Product number: G112850	
• Application of the substance / the	nixture Photoresist
$\cdot$ Details of the supplier of the safet	ata sheet
• <b>Manufacturer/Supplier:</b> MicroChem Corp.	
200 Flanders Road	
Westborough, MA 01581 USA	
· Information department:	
Product Safety	
Email: productsafety@microchem • Emergency telephone number:	com
MicroChem Corp : 617-965-5511	
Chemtrec USA Emergency : 800-4	
Chemtrec International Emergency	<u>: 703-527-3887</u>
2 Hazard(s) identification	
· Classification of the substance or	nixture
GHS02 Flame	
$\mathbf{\vee}$	
Flam. Liq. 3 H226 Flammable lig	uid and vapor.
$\wedge$	
GHS07	
Acute Tox. 4 H302 Harmful if swe	llowed.
Skin Irrit. 2 H315 Causes skin ir	ritation.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou	ritation.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou • Label elements	ritation. s eye irritation.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou • Label elements • GHS label elements The product i.	ritation.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou • Label elements • GHS label elements The product i.	ritation. s eye irritation.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou • Label elements • GHS label elements The product i.	ritation. s eye irritation.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou • Label elements • GHS label elements The product i.	ritation. s eye irritation.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou • Label elements • GHS label elements The product i.	ritation. s eye irritation.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou Label elements GHS label elements The product i. Hazard pictograms GHS02 GHS07	ritation. s eye irritation.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou • Label elements • GHS label elements The product i. • Hazard pictograms • GHS02 GHS07 • Signal word Warning	ritation. s eye irritation. classified and labeled according to the Globally Harmonized System (GH.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou Label elements GHS label elements The product is Hazard pictograms GHS02 GHS07 Signal word Warning Hazard-determining components	ritation. s eye irritation. classified and labeled according to the Globally Harmonized System (GH.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou Label elements GHS label elements The product it Hazard pictograms GHS02 GHS07 Signal word Warning Hazard-determining components Cyclopentanone	ritation. s eye irritation. classified and labeled according to the Globally Harmonized System (GH.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou Label elements GHS label elements The product it Hazard pictograms GHS02 GHS07 Signal word Warning Hazard-determining components Cyclopentanone 1-methoxy-2-propanol Hazard statements	ritation. s eye irritation. classified and labeled according to the Globally Harmonized System (GH.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou Label elements GHS label elements The product it Hazard pictograms GHS02 GHS07 Signal word Warning Hazard-determining components Cyclopentanone I-methoxy-2-propanol Hazard statements H226 Flammable liquid and vapor	ritation. s eye irritation. classified and labeled according to the Globally Harmonized System (GH.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou • Label elements • GHS label elements The product i. • Hazard pictograms • GHS02 GHS07 • Signal word Warning • Hazard-determining components of Cyclopentanone 1-methoxy-2-propanol • Hazard statements H226 Flammable liquid and vapor H302 Harmful if swallowed.	ritation. s eye irritation. classified and labeled according to the Globally Harmonized System (GH.
Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes seriou • Label elements • GHS label elements The product it • Hazard pictograms • GHS02 GHS07 • Signal word Warning • Hazard-determining components Cyclopentanone 1-methoxy-2-propanol • Hazard statements H226 Flammable liquid and vapor	ritation. r eye irritation. r classified and labeled according to the Globally Harmonized System (GH.

MICRO CHEM

Printing date 05/23/2016

## Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/23/2016

Trade name: OmniCoat<sup>TM</sup>

	(Contd. of page 1)
· Precautionary s	statements
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P233	Keep container tightly closed.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P.	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for
	breathing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam.
P370+P378	In case of fire: Use for extinction: Fire-extinguishing powder.
P370+P378	In case of fire: Use for extinction: Carbon dioxide.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
~	

#### · Classification system:

· NFPA ratings (scale 0 - 4)

 $\begin{array}{c} \mathbf{3} \\ \mathbf{2} \\ \mathbf{0} \\ \mathbf{$ 

#### · HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE3Fire = 3REACTIVITY0Reactivity = 0

• Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerou	is components:	
	Cyclopentanone Flam. Liq. 3, H226; (1) Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	70-90%
107-98-2	1-methoxy-2-propanol 🔗 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336	10-20%

## 4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

US —

MICRO CHEM

Printing date 05/23/2016

## Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/23/2016

#### Trade name: OmniCoat<sup>TM</sup>

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### · After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed Treat symptomatically.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- Alcohol resistant foam
- Fire-extinguishing powder
- Carbon dioxide
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Water Will
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear SCBA.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources
Environmental precautions: Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- Do not flush with water or aqueous cleansing agents
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 4)

(Contd. of page 2)



# Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/23/2016

Trade name: OmniCoat<sup>TM</sup>

(Contd. of page 3)

## 7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaust at the workplace. Keep receptacles tightly sealed. Store in cool, dry place in tightly closed containers. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Use explosion-proof apparatus / fittings and spark-proof tools.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers: Store in a cool location.
- Information about storage in one common storage facility: Do not store together with oxidizing and acidic materials.
- Further information about storage conditions: Keep container well-sealed in cool, dry location. Protect from heat and direct sunlight.
- Avoid contact with air / oxygen.(formation of peroxide).
- Store under lock and key and with access restricted to technical experts or their assistants only.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

#### · Components with limit values that require monitoring at the workplace:

## 107-98-2 1-methoxy-2-propanol

- REL () Short-term value: 540 mg/m<sup>3</sup>, 150 ppm
- Long-term value: 360 mg/m<sup>3</sup>, 100 ppm
- *TLV ()* Short-term value: 553 mg/m<sup>3</sup>, 150 ppm Long-term value: 369 mg/m<sup>3</sup>, 100 ppm
- Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from food and beverages.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Do not inhale gases / fumes / aerosols.
- · Respiratory equipment:
- In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA.
- · Protection of hands:



Protective gloves

(Contd. on page 5)



## Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/23/2016

Trade name: OmniCoat<sup>TM</sup>

(Contd. of page 4)

- *The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves Nitrile rubber, NBR*
- *Penetration time of glove material Contact glove manufacture for break-through time.*
- Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Clear to light yellow · Odor: Slightly sweet · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** 120 °C (248 °F) · Flash point: 30 °C (86 °F) · Flammability (solid, gaseous): *Not applicable.* 270 °C (518 °F) · Ignition temperature: Not determined. · Decomposition temperature: · Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor · Danger of explosion: mixtures are possible. · Explosion limits: Lower: 2.3 Vol % Not determined. Upper: · Vapor pressure at 20 °C (68 °F): 12 hPa (9 mm Hg) · Density: See other information · Relative density Not determined. · Vapor density Not determined. Not determined. · Evaporation rate · Solubility in / Miscibility with Partly miscible. Water: · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dvnamic: Not determined. Kinematic: Not determined. (Contd. on page 6)



Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/23/2016

Printing date 05/23/2016
Trade name: OmniCoat<sup>TM</sup>

(Contd. of page 5)

• Other information

No further relevant information available.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal use conditions
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products:
- Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

#### 11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

107-98-2 1-methoxy-2-propanol

Oral	LD50	5660 mg/kg (Rat)
Dermal	LD50	13000 mg/kg (rabbit)
Inhalative	LC50/4 h	54.6 mg/l (Rat)

120-92-3 Cyclopentanone

	<b>J</b>	
Oral	LD50	1180 mg/kg (Rat)
	LD50	>2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>19.5 mg/l (Rat)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

(Contd. on page 7)

US



# Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/23/2016

Trade name: OmniCoat<sup>TM</sup>

(Contd. of page 6)

# 12 Ecological information

$\cdot Tox$	cicity
-------------	--------

• Aquatic toxicity:	
---------------------	--

107-98-2 1-methoxy-2-propanol
-------------------------------

EC50/96 hr	23300 m	g/l (dapi	hnia m	agna)
	1000	<i>a</i> (		

>1000 mg/l (green algae) LC50/96 h 20800 mg/l (Pimephales promelas)

# 120-92-3 Cyclopentanone

- EC50/48 h 100 mg/l (daphnia magna)
- *EC50/72 h* >100 mg/l (scenedesmus subspicatus)
- LC50/96 h >100 mg/l (fish)
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- $\cdot$  **Mobility in soil**  $\hat{No}$  further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

- Uncleaned packagings:
- Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

· UN-Number		
· DOT, ADR, IMDG, IATA	UN1866	
· UN proper shipping name		
$\cdot DOT, ADR$	Resin solution	
· IMDG, IATA	RESIN SOLUTION	

MICRO CHEM

Printing date 05/23/2016

# Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/23/2016

Trade name: OmniCoat<sup>TM</sup>

	(Contd. of pa
• Transport hazard class(es)	
DOT	
TEAMMATET TEXT	
V	
· Class	3 Flammable liquids
Label	3
ADR, IMDG, IATA	
<b>A</b>	
- Class	3 Flammable liquids
Label	3
· Packing group	
DOT, ADR, İMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	33
· EMS Number:	55 F-E,S-E
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	UN1866, Resin solution, 3, III

# 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed or comply with TSCA regulations.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

(Contd. on page 9)

US -



# Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/23/2016

Trade name: OmniCoat<sup>TM</sup>

· Chemical	s known to cause developmental toxicity:
	e ingredients are listed.
Carcinog	nic categories
EPA (Env	ironmental Protection Agency)
None of th	e ingredients are listed.
TLV (Thr	eshold Limit Value established by ACGIH)
None of th	e ingredients are listed.
NIOSH-C	a (National Institute for Occupational Safety and Health)
None of th	e ingredients are listed.
Massachı	setts State Right To Know List
120-92-3	Cyclopentanone
107-98-2	1-methoxy-2-propanol
New Jerse	y State Right To Know List
120-92-3	Cyclopentanone
107-98-2	1-methoxy-2-propanol
Pennsylva	nia Hazardous Substances List
120 02 2	Cyclopentanone
120-92-3	

· Hazard pictograms



· Signal word Warning

## · Hazard-determining components of labeling:

Cyclopentanone 1-methoxy-2-propanol • Hazard statements

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

# · Precautionary statements

Precautionary statements	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P233	Keep container tightly closed.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for
	breathing.

(Contd. on page 10)



## Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/23/2016

Trade name: OmniCoat<sup>TM</sup>

	(Contd. of page 9)
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam.
P370+P378	In case of fire: Use for extinction: Fire-extinguishing powder.
P370+P378	In case of fire: Use for extinction: Carbon dioxide.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Mr. Cole
- · Revision History:

The business address of the manufacturer in Section 1 was updated. The hazard classification and precautionary statements for the mixture in Section 2 were revised. The toxicology data in Sections 11 and 12 were revised.

- $\cdot$  Date of preparation / last revision 05/23/2016 / 6
- · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Eve Irrit. 2A: Serious eve damage/eve irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3