# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Version 6.3 Revision Date 24.10.2014 Print Date 21.06.2016

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Sulfuric acid

Product Number : 320501
Brand : Sigma-Aldrich
Index-No. : 016-020-00-8

REACH No. : 01-2119458838-20-XXXX

CAS-No. : 7664-93-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Israel Ltd.

3 PARK RABIN, PLAUT 7670603 REHOVOT

ISRAEL

Telephone : +972 8948-4222 Fax : +972 8948-4200

1.4 Emergency telephone number

Emergency Phone # : +972 (8) 948-4222

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Corrosive to metals (Category 1), H290 Skin corrosion (Category 1A), H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Classification according to EU Directives 67/548/EEC or 1999/45/EC

C Corrosive R35

For the full text of the R-phrases mentioned in this Section, see Section 16.

#### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Formula : H<sub>2</sub>O<sub>4</sub>S Molecular weight : 98,08 g/mol CAS-No. : 7664-93-9 EC-No. : 231-639-5 Index-No. : 016-020-00-8

Registration number : 01-2119458838-20-XXXX

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	, ,	Classification	Concentration
Sulfuric acid			
CAS-No.	7664-93-9	Met. Corr. 1; Skin Corr. 1A;	<= 100 %
EC-No.	231-639-5	H290, H314	
Index-No.	016-020-00-8		
Registration number	01-2119458838-20-XXXX		

Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration
Sulfuric acid			
CAS-No.	7664-93-9	C, R35	<= 100 %
EC-No.	231-639-5		
Index-No.	016-020-00-8		
Registration number	01-2119458838-20-XXXX		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - 320501 Page 2 of 8

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Sulphur oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

No data available

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Non-combustible, corrosive hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

## Components with workplace control parameters

# **Derived No Effect Level (DNEL)**

2011/04/10 211001 20101 (21122)			
Application Area	Exposure routes	Health effect	Value
Workers	Inhalation	Acute local effects	0,1 mg/m3
Workers	Inhalation	Long-term local effects	0,05 mg/m3

#### Predicted No Effect Concentration (PNEC)

Compartment	Value
Marine water	0,00025 mg/l

Sigma-Aldrich - 320501 Page 3 of 8

Fresh water	0,0025 mg/l
Marine sediment	0,002 mg/kg
Fresh water sediment	0,002 mg/kg
Onsite sewage treatment plant	8,8 mg/l

# 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

# Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,2 mm

Break through time: 30 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Sigma-Aldrich - 320501 Page 4 of 8

Odour No data available b) Odour Threshold No data available 1,2 at 5 g/l d) e) Melting point/freezing 3°C point

f) Initial boiling point and

boiling range

No data available

g) Flash point Not applicable h) Evaporation rate No data available Flammability (solid, gas) No data available i) i) Upper/lower

flammability or explosive limits No data available

Vapour pressure 1,33 hPa at 145,8 °C

I) Vapour density 3,39 - (Air = 1.0)m) Relative density 1,80 - 1,84 g/cm3

n) Water solubility soluble

o) Partition coefficient: noctanol/water

No data available

No data available p) Auto-ignition temperature

Decomposition temperature

No data available

No data available Viscosity r) Explosive properties No data available s) No data available Oxidizing properties

9.2 Other safety information

> Surface tension 55,1 mN/m at 20 °C Relative vapour density 3,39 - (Air = 1.0)

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

### Incompatible materials

Bases, Halides, Organic materials, Carbides, fulminates, Nitrates, picrates, Cyanides, Chlorates, alkali halides, Zinc salts, permanganates, e.g. potassium permanganate, Hydrogen peroxide, Azides, Perchlorates., Nitromethane, phosphorous, Reacts violently with:, cyclopentadiene, cyclopentanone oxime, nitroaryl amines, hexalithium disilicide, phosphorous(III) oxide, Powdered metals

# Hazardous decomposition products

Other decomposition products - No data available

Sigma-Aldrich - 320501 Page 5 of 8

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 2.140 mg/kg

LC50 Inhalation - Rat - 2 h - 510 mg/m3

## Skin corrosion/irritation

Skin - Rabbit

Result: Extremely corrosive and destructive to tissue.

## Serious eye damage/eye irritation

Eves - Rabbit

Result: Corrosive to eyes

## Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity

The International Agency for Research on Cancer (IARC) has determined that occupational exposure to strong-inorganic-acid mists containing sulfuric acid is carcinogenic to humans (group 1).

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

## Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# **Additional Information**

RTECS: WS5600000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Pulmonary edema. Effects may be delayed., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 29 mg/l - 24 h

other aquatic invertebrates

# 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

No data available

Sigma-Aldrich - 320501 Page 6 of 8

# 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 1830 IMDG: 1830 IATA: 1830

14.2 UN proper shipping name

ADR/RID: SULPHURIC ACID IMDG: SULPHURIC ACID IATA: Sulphuric acid

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

# 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

# Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Met. Corr. Corrosive to metals Skin Corr. Skin corrosion

# Full text of R-phrases referred to under sections 2 and 3

C Corrosive

R35 Causes severe burns.

Sigma-Aldrich - 320501 Page 7 of 8

## **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 320501 Page 8 of 8