

TI- 35 ES

Print date: 15.07.2015

Product code: 96

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

TI- 35 ES

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

elctronic industry Intermediate

1.3. Details of the supplier of the safety data sheet

Company name:	MicroChemicals GmbH	
Street:	Nicolaus-Otto-Str. 39	
Place:	D-89079 Ulm	
Telephone:	+49 (0) 731 977343 0	Telefax:+49 (0) 731 977343 29
e-mail:	info@microchemicals.com	
Contact person:	Dr. Christian Koch	
e-mail:	msds@microchemicals.com	
Internet:	www.microchemicals.com	
1.4. Emergency telephone	+49 (0) 731 977343 0	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Hazard categories: Flammable liquid: Flam. Liq. 3 Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Dam. 1 Reproductive toxicity: Repr. 1B Hazard Statements: Flammable liquid and vapour. Causes skin irritation. Causes serious eye damage. Harmful if inhaled. May damage the unborn child.

2.2. Label elements

Hazardous components which must be listed on the label

ethyl DL-lactate, ethyl lactate Imidazol

Signal word:


Danger

Pictograms:



Hazard statements

id and vapour.
itation.
s eye damage.
ed.



according to Regulation (EC) No 1907/2006

TI- 35 ES

	11-55 25	
Print date: 15.07.2015	Product code: 96	Page 2 of 12
H360D	May damage the unborn child.	
Precautionary statements	3	
P201	Obtain special instructions before use.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
	present and easy to do. Continue rinsing.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P310	Immediately call a POISON CENTER/doctor.	
P321	Specific treatment (see on this label).	

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification according to Regulat	ion (EC) No. 1272/2008 [CLP]		
108-65-6	2-methoxy-1-methylethyl acetate			> 60%
	203-603-9	607-195-00-7		
	Flam. Liq. 3; H226			
-	Bis-(5-acetyl-2,3,4-trihydroxy-phen 6-dihydro-5-oxonaphthalene-1-sulf 4-dihydro-6-methoxy-4-oxonaphtha	S-Diazo-5,	<10 %	
	421-520-8		01-0000016803-70	
	Flam. Sol. 1, Self-react. D, Aquatic	Chronic 4; H228 H242 H413		
97-64-3	ethyl DL-lactate, ethyl lactate			1 - < 5 %
	202-598-0	607-129-00-7		
	Flam. Liq. 3, STOT SE 3, Eye Dam	n. 1; H226 H335 H318		
288-32-4	Imidazol			1 - < 5 %
	206-019-2			
	Repr. 1B, Acute Tox. 4, Skin Corr.			
70657-70-4	2-methoxypropyl acetate		< 1 %	
	274-724-2	607-251-00-0		
	Flam. Liq. 3, Repr. 1B, STOT SE 3; H226 H360D *** H335			

Full text of H and EUH phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Self-protection of the first aider

After inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory





according to Regulation (EC) No 1907/2006

TI- 35 ES

Print date: 15.07.2015

Product code: 96

Page 3 of 12

arrest provide artificial respiration. Call a physician immediately.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Call a physician immediately. Let water be drunken in little sips (dilution effect).

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), alcohol resistant foam, Extinguishing powder.

Unsuitable extinguishing media

Water.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. Carbon monoxide. Carbon dioxide Nitrogen oxides (NOx). Sulfur oxides.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Collect in closed and suitable containers for disposal. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations. Never return spills in original containers for re-use. Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8



according to Regulation (EC) No 1907/2006

TI- 35 ES

Print date: 15.07.2015

Product code: 96

Page 4 of 12

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Provide adequate ventilation as well as local exhaustion at critical locations. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect against: Light

Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Recommended storage temperature 5 - 15°C

7.3. Specific end use(s)

elctronic industry Intermediate

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
108-65-6	1-Methoxypropyl acetate	50	274		TWA (8 h)	WEL
		100	548		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
108-65-6 2-methoxy-1-methylethyl acetate								
Worker DNEL,	long-term	inhalation	systemic	33 mg/m³				
Worker DNEL,	long-term	dermal	systemic	54,8 mg/kg bw/day				
288-32-4 Imidazol								
Worker DNEL,	long-term	inhalation	systemic	10,6 mg/m³				
Worker DNEL,	long-term	dermal	systemic	1,5 mg/kg bw/day				



according to Regulation (EC) No 1907/2006

TI- 35 ES

Print date: 15.07.2015

Product code: 96

Page 5 of 12

PNEC values

CAS No	Substance				
Environmental	compartment	Value			
108-65-6	2-methoxy-1-methylethyl acetate				
Freshwater		0,635 mg/l			
Marine water		0,635 mg/l			
Freshwater se	diment	3,29 mg/kg			
Marine sediment 0,329 r					
Soil 0,29 mg/kg					
288-32-4	Imidazol				
Freshwater		0,13 mg/l			
Marine water		0,013 mg/l			
Freshwater se	diment	0,336 mg/kg			
Marine sediment 0,0336		0,0336 mg/kg			
Soil 0,0425 m		0,0425 mg/kg			
Micro-organisr	ns in sewage treatment plants (STP)	10 mg/l			

Additional advice on limit values

Y: A risk of reproductive effects needs not to be feared if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

8.2. Exposure controls



Appropriate engineering controls



If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin and eyes.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

Hand protection

Breakthrough time (maximum wearing time): >10min Thickness of the glove material: > 0,4mm By short-term hand contact: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



according to Regulation (EC) No 1907/2006

	TI- 35 ES								
Print date: 15.07.2015	Product code: 96	Page 6 of 12							
Skin protection Wear suitable protective clothing. Respiratory protection Respiratory protection necessary at: insufficient exhaust, prolonged exposure Environmental exposure controls Do not allow to enter into surface water or drains.									
SECTION 9: Physical and chemical pro	operties								
9.1. Information on basic physical and che	mical properties								
Physical state: Colour: Odour:	liquid red brown characteristic (ester)								
		Test method							
pH-Value:	not determined								
Changes in the physical state Melting point: Initial boiling point and boiling range:	not determined 145 °C								
Flash point:		DIN 51755							
Lower explosion limits: Upper explosion limits:	not determined not determined								
Ignition temperature:	not determined								
Decomposition temperature:	not determined								
Oxidizing properties Not oxidizing.									
Vapour pressure: (at 20 °C)	5 hPa								
Density:	1 g/cm³								
Water solubility:	insoluble								
Solubility in other solvents not determined									
Partition coefficient:	not determined								
Viscosity / dynamic: (at 20 °C)	95 - 130 mPa·s								
Vapour density:	not determined								
Evaporation rate:	not determined								
9.2. Other information									
Solid content:	not determined								

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable, Ignition hazard.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions



TI- 35 ES

Print date: 15.07.2015

Product code: 96

Page 7 of 12

No hazardous reaction when handled and stored according to provisions. Incompatible materials: Oxidising substances

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Oxidising agent, Strong acid, Base

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

The product has not been tested.

Acute toxicity

The product has not been tested.

ATEmix calculated

ATE (inhalative vapour) 12,71 mg/l

CAS No	Chemical name								
	Exposure routes	Method	Dose	Species	Source				
108-65-6	2-methoxy-1-methylethyl acetate								
	oral LD50 8532 mg/kg Rat RTECS								
	dermal LD50 7500 mg/kg Rabbit								
-	Bis-(5-acetyl-2,3,4-trihydroxy-phenyl)-methane, mixture of esters with 6-Diazo-5, 6-dihydro-5-oxonaphthalene-1-sulfonylchloride and 3-Diazo-3, 4-dihydro-6-methoxy-4-oxonaphthalene-1-sulfonylchloride								
	oral	LD50	>2000 mg/kg	Rat	OECD 401				
	dermal LD50 >2000 mg/kg 67/548/EW, V								
288-32-4	Imidazol			-					
	oral	LD50	970 mg/kg	Rat	IUCLID				

Sensitising effects

Respiratory or skin sensitisation:

Bis-(5-acetyl-2,3,4-trihydroxy-phenyl)-methane, mixture of esters with 6-Diazo-5,

6-dihydro-5-oxonaphthalene-1-sulfonylchloride and 3-Diazo-3,

4-dihydro-6-methoxy-4-oxonaphthalene-1-sulfonylchloride:

Regulation (EC) No. 440/2008, Annex, B.6 (Maximisation test), Guinea pig: negative. (OECD 406)

STOT-single exposure

STOT-repeated exposure:


Bis-(5-acetyl-2,3,4-trihydroxy-phenyl)-methane, mixture of esters with 6-Diazo-5,

6-dihydro-5-oxonaphthalene-1-sulfonylchloride and 3-Diazo-3,

4-dihydro-6-methoxy-4-oxonaphthalene-1-sulfonylchloride:

Rat, NOAEL: 1.000mg/kg

Carcinogenic/mutagenic/toxic effects for reproduction



according to Regulation (EC) No 1907/2006

TI- 35 ES

Print date: 15.07.2015

Product code: 96

Page 8 of 12

Bis-(5-acetyl-2,3,4-trihydroxy-phenyl)-methane, mixture of esters with 6-Diazo-5, 6-dihydro-5-oxonaphthalene-1-sulfonylchloride and 3-Diazo-3, 4-dihydro-6-methoxy-4-oxonaphthalene-1-sulfonylchloride:

In vitro mutagenicity/genotoxicity: OECD 471 (Ames test): positive. Chromosomal aberrations in vitro, Hamster: negative.

In vivo mutagenicity/genotoxicity: mouse lymphoma cells: negative.

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	o Chemical name						
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source	
108-65-6	-6 2-methoxy-1-methylethyl acetate						
	Acute fish toxicity	LC50	161 mg/l	96 h	Pimephales promelas		
	Acute crustacea toxicity	EC50	408 mg/l	48 h	Daphnia magna		
-	Bis-(5-acetyl-2,3,4-trihydroxy-phenyl)-methane, mixture of esters with 6-Diazo-5, 6-dihydro-5-oxonaphthalene-1-sulfonylchloride and 3-Diazo-3, 4-dihydro-6-methoxy-4-oxonaphthalene-1-sulfonylchloride						
	Acute fish toxicity LC50 >100 mg/l				Brachydanio rerio (zebra-fish)	OECD 203	
	Acute algae toxicity	ErC50	>100 mg/l	72 h	Desmodesmus subspicatus.	OECD 201	
	Acute crustacea toxicity	EC50	>100 mg/l		Daphnia magna (Big water flea)	OECD 202	
288-32-4	Imidazol						
	Acute fish toxicity	LC50	280 mg/l	96 h	Leuciscus idus (golden orfe)	DIN 37 412 T 15	
	Acute algae toxicity	ErC50	133 mg/l	72 h	Scenedesmus quadricauda	IUCLID	
	Acute crustacea toxicity	EC50	342 mg/l	48 h	Daphnia magna (Big water flea) Pseudomonas putida	OECD- 202	
	Acute bacteria toxicity	(1200 m	g/l)	3 h	Pseudomonas putida	IUCLID	

12.2. Persistence and degradability

The product has not been tested.



TI- 35 ES

Print date: 15.0	07.2015 Product code: 96			Page 9 of 12
CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	•		•
108-65-6	2-methoxy-1-methylethyl acetate			
		99%	28	
	Readily biodegradable (according to OECD criteria).		-	
-	Bis-(5-acetyl-2,3,4-trihydroxy-phenyl)-methane, mixture of ester 6-dihydro-5-oxonaphthalene-1-sulfonylchloride and 3-Diazo-3, 4-dihydro-6-methoxy-4-oxonaphthalene-1-sulfonylchloride	s with 6-Diazo-5,		
	OECD 301 F	< 20%	28	
	Not readily biodegradable (according to OECD criteria)			

12.3. Bioaccumulative potential

The product has not been tested.

2-Methoxy-1-methylethylacetat: On the basis of existing data about the elimination/degradation and bioaccumulation potential longer term damage to the environment is unlikely.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
108-65-6	2-methoxy-1-methylethyl acetate	0,43
288-32-4	Imidazol	-0,02

12.4. Mobility in soil

The product has not been tested. 2-Methoxy-1-methylethylacetat: Koc.1,7

12.5. Results of PBT and vPvB assessment

The product has not been tested.

2-Methoxy-1-methylethylacetat: The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging


This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (2-Methoxy-1-methylethylacetat)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III

		MicroChemicals GmbH
MicroChomicolo	Safety Data Sheet	
MicroChemicals	according to Regulation (EC) No 1907/2006	
	TI- 35 ES	
Print date: 15.07.2015	Product code: 96	Page 10 of 12
Hazard label:	3	
	3	
Classification code:	F1	
Special Provisions: Limited quantity:	274 601 640E 5 L	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	30	
Tunnel restriction code:	D/E	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	UN 1993	
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (2-Methoxy-1-methylethylacet	at)
14.3. Transport hazard class(es):	3	,
14.4. Packing group:		
Hazard label:	3	
Classification code:	F1	
Special Provisions:	274 601 640E	
Limited quantity: Excepted quantity:	5 L E1	
Marine transport (IMDG)	L.	
<u>14.1. UN number:</u>	UN 1993	
		-ot)
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (2-Methoxy-1-methylethylacet	al)
14.3. Transport hazard class(es):	3	
14.4. Packing group:		
Hazard label:		
Special Provisions:	223, 274, 955	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-E, S-E	
Air transport (ICAO)		
<u>14.1. UN number:</u>	UN 1993	
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (2-Methoxy-1-methylethylacet	at)
<u>14.3. Transport hazard class(es):</u>	3	
14.4. Packing group:	III	
Hazard label:	3	
	3	



	TI- 35 ES	
Print date: 15.07.2015	Product code: 96	Page 11 of 12
Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity:	A3 10 L Y344 E1	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	355 60 L 366 220 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user No information available.		
14.7. Transport in bulk according to Annex not applicable	II of MARPOL73/78 and the IBC Code	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
2010/75/EU (VOC):	94 % (940 g/l)	
2004/42/EC (VOC):	94,285 % (942,85 g/l)	
Additional information		
To follow: 850/2004/EC, 79/	117/EEC, 689/2008/EC	
National regulatory information		
Employment restrictions:	Observe employment restrictions for young people. Observe restrictions for child bearing mothers and nursing.	employment
Water contaminating class (D): Additional information	1 - slightly water contaminating	
	RICTIONS ON THE MANUFACTURE, PLACING ON THE MAR ROUS SUBSTANCES, MIXTURES AND ARTICLES: Incetate	KET AND
15.2. Chemical safety assessment		
Chemical safety assessmen	ts for substances in this mixture were not carried out.	
SECTION 16: Other information		
(European Agreement conce IMDG: International Maritime IATA: International Air Trans GHS: Globally Harmonized EINECS: European Inventor ELINCS: European List of N CAS: Chemical Abstracts Se LC50: Lethal concentration, LD50: Lethal dose, 50%	System of Classification and Labelling of Chemicals y of Existing Commercial Chemical Substances lotified Chemical Substances ervice 50%	
Relevant H- and EUH-phrases (Number	and full text)	

H226 Flammable liquid and vapour.

- H228 Flammable solid.
- H242 Heating may cause a fire.

MicroChemicals GmbH



according to Regulation (EC) No 1907/2006

TI-35 ES Print date: 15.07.2015 Product code: 96 Page 12 of 12 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H332 Harmful if inhaled. H335 May cause respiratory irritation. H360D May damage the unborn child. H413 May cause long lasting harmful effects to aquatic life. **Further Information** The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of

our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)