Printing date 12/23/2015 Reviewed on 12/23/2015

1 Identification of the substance/mixture and of the company

- · Product identifier
- · Trade name: gL-Rinse
- · Product number: A234080
- · Application of the substance / the mixture

To be used by technically qualified personnel for research and development use only.

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MicroChem Corp.

200 Flanders Road

Westborough, MA 01581 USA

· Information department:

Product Safety

Email: productsafety@microchem.com

· Emergency telephone number:

MicroChem Corp: 617-965-5511

Chemtrec USA Emergency: 800-424-9300

Chemtrec International Emergency: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Methyl isobutyl ketone

· Hazard statements

Highly flammable liquid and vapor. H225

(Contd. on page 2)



Printing date 12/23/2015 Reviewed on 12/23/2015

Trade name: gL-Rinse

(Contd. of page 1)

H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for P304+P340

breathing.

P337+P313 *If eye irritation persists: Get medical advice/attention.* P370+P378 In case of fire: Use for extinction: Alcohol resistant foam. P370+P378 *In case of fire: Use for extinction: Fire-extinguishing powder.*

P370+P378 In case of fire: Use for extinction: Carbon dioxide. IF ON SKIN: Wash with plenty of soap and water. P302+P352

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Fire = 3

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

	· Dangerous components:		
		-0 Isopropyl alcohol	
		🏇 Flam. Liq. 2, H225; 🕂 Eye Irrit. 2, H319; STOT SE 3, H336	
Г		Methyl isobutyl ketone	10-25%
		♠ Flam. Liq. 2, H225; ♦ Carc. 2, H351; ♠ Acute Tox. 4, H332; Eye Irrit. 2, H319; STOT SE 3, H335	



Printing date 12/23/2015 Reviewed on 12/23/2015

Trade name: gL-Rinse

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occassionally lifting upper and lower eye lids until no evidence of chemical remains (at least 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

· After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

· For safety reasons unsuitable extinguishing agents:

Water with full jet

Water

· Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- · Advice for firefighters
- · Protective equipment: Wear SCBA.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- USA



Printing date 12/23/2015 Reviewed on 12/23/2015

Trade name: gL-Rinse

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaust at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and containers: Store in a cool location.
- · Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions:

Keep container well-sealed in cool, dry location.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Com	· Components with limit values that require monitoring at the workplace:			
67-63	67-63-0 Isopropyl alcohol			
PEL	Long-term value: 980 mg/m³, 400 ppm			
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm			
TLV	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI			
108-	0-1 Methyl isobutyl ketone			
PEL	Long-term value: 410 mg/m³, 100 ppm			
	Short-term value: 300 mg/m³, 75 ppm Long-term value: 205 mg/m³, 50 ppm			
TLV	Short-term value: 307 mg/m³, 75 ppm Long-term value: 82 mg/m³, 20 ppm BEI			

· Ingredients with biological limit values:

67-63-0 Isopropyl alcohol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

(Contd. on page 5)

(Contd. of page 4)



Safety Data Sheet acc. to OSHA HCS

Printing date 12/23/2015 Reviewed on 12/23/2015

Trade name: gL-Rinse

108-10-1 Methyl isobutyl ketone

BEI 1 mg/L

Medium: urine Time: end of shift Parameter: MIBK

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory equipment:

In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material Contact glove manufacture for break-through time.
- · Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

Color: Clear to light yellow Alcohol-like · Odor:

· Odour threshold: Not determined.

Not determined. · pH-value:

· Change in condition

Undetermined. *Melting point/Melting range:* Boiling point/Boiling range: 82 °C (180 °F) · Flash point: 12 °C (54 °F) · Flammability (solid, gaseous):

Not applicable.

425 °C (797 °F) · Ignition temperature:

(Contd. on page 6)



Printing date 12/23/2015 Reviewed on 12/23/2015

Trade name: gL-Rinse

	(Contd. of page
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	1.7 Vol %
Upper:	12.0 Vol %
· Vapor pressure at 20 °C (68 °F):	33 hPa (25 mm Hg)
Density at 20 °C (68 °F):	0.78816 g/cm³ (6.577 lbs/gal)
Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	1.6-2.3 (BuAc=1)
Solubility in / Miscibility with	
Water:	Water miscible No
Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	100.0 %
VOC content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability Stable under normal use conditions
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Possible formation of peroxide.
- · Conditions to avoid

Contact with incompatible materials.

Heat, flames and sparks. Extremes of temperature and direct sunlight.

· Incompatible materials:

Strong Acids, Strong Bases, Strong Oxidizing Agents, Caustics, Amines, Alkanolamines, Aldehydes, Chlorinated Compounds

· Hazardous decomposition products:

Flammable gases/vapors

Carbon monoxide and carbon dioxide

- USA



Printing date 12/23/2015 Reviewed on 12/23/2015

Trade name: gL-Rinse

(Contd. of page 6)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:				
67-63-0 Is	67-63-0 Isopropyl alcohol			
Oral	LD50	5045 mg/kg (Rat)		
Dermal	LD50	12800 mg/kg (rabbit)		
Inhalative	LC50/4 h	30 mg/l (Rat)		
108-10-1 N	108-10-1 Methyl isobutyl ketone			
Oral	LD50	2080 mg/kg (Rat)		
Dermal	LD50	1600 mg/kg (rab)		
Inhalative	LC50/4 h	100 mg/l (Rat)		

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)				
67-63-0	Isopropyl alcohol	3		
108-10-1	Methyl isobutyl ketone	108-10-1		
· NTP (National Toxicology Program)				
None of the ingredients are listed.				

12 Ecological information

· Toxicity

· Aquatic toxicity:			
67-63-0 Isop	67-63-0 Isopropyl alcohol		
EC50/48 h	EC50/48 h 7550-13300 mg/l (daphnia magna) (immobilization)		
EC50/72 h >1000 mg/l (scenedesmus subspicatus) (Growth rate inhibition)			
LC50/96 h	LC50/96 h 9640-10400 mg/l (Pimephales promelas)		
108-10-1 M	108-10-1 Methyl isobutyl ketone		
EC50/96 hr	EC50/96 hr 980 mg/l (scenedesmus subspicatus)		
	400 mg/l (Selenastrum capricornutum)		
LC50/24 h	5000 mg/l (daphnia magna)		
	460 mg/l (goldfish)		
LC50/96 h	505 mg/l (fathead minnow)		
	505-540 mg/l (Pimephales promelas)		
600 mg/l (Salmo gairdneri)			

· Persistence and degradability No further relevant information available.

(Contd. on page 8)



Printing date 12/23/2015 Reviewed on 12/23/2015

Trade name: gL-Rinse

(Contd. of page 7)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

UN-Number DOT, ADR, IMDG, IATA	UN1993
UN proper shipping name DOT, ADR	Flammable liquids, n.o.s. (Isopropanol (Isopropyl alcohol), Meth isobutyl ketone)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPY ALCOHOL), METHYL ISOBUTYL KETONE)
Transport hazard class(es)	
DOT	
PLANMAELE LICITO	
Class	3 Flammable liquids.
Label	3
ADR, IMDG, IATA	
**	
Class	3 Flammable liquids
Label	3
Packing group	



Printing date 12/23/2015 Reviewed on 12/23/2015

Trade name: gL-Rinse

	(Contd. of page
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user · Danger code (Kemler): · EMS Number:	Warning: Flammable liquids 33 F-E, <u>S-E</u>
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· UN "Model Regulation":	UN1993, Flammable liquids, n.o.s. (Isopropanol (Isopropy alcohol), Methyl isobutyl ketone), 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed or comply with TSCA regulations.

- · Proposition 65
- · Chemicals known to cause cancer:

108-10-1 Methyl isobutyl ketone

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

108-10-1 Methyl isobutyl ketone

A4

· TLV (Threshold Limit Value established by ACGIH)

67-63-0 Isopropyl alcohol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

· Massachusetts State Right To Know List

67-63-0 Isopropyl alcohol

108-10-1 Methyl isobutyl ketone

(Contd. on page 10)



Printing date 12/23/2015 Reviewed on 12/23/2015

Trade name: gL-Rinse

(Contd. of page 9)

	(Conta. of page 9)		
· New Jers	· New Jersey State Right To Know List		
67-63-0	Isopropyl alcohol		
108-10-1	Methyl isobutyl ketone		
· Pennsylve	· Pennsylvania Hazardous Substances List		
67-63-0	Isopropyl alcohol		
108-10-1	Methyl isobutyl ketone		

- · California SCAQMD Rule 443.1 VOC's: No information available.
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02 GHS07 GH

- · Signal word Danger
- · Hazard-determining components of labeling:

Methyl isobutyl ketone

· Hazard statements

H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use for extinction: Alcohol resistant foam.
P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.

P370+P378 In case of fire: Use for extinction: Carbon dioxide. P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Product safety department
- · Contact: Mr. Cole
- · Revision History: New SDS
- · Date of preparation / last revision 12/23/2015 / -

(Contd. on page 11)



Printing date 12/23/2015 Reviewed on 12/23/2015

Trade name: gL-Rinse

(Contd. of page 10)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

USA ·