

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : AZ nLOF® 2070 Photoresist

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Electronic industry
Intermediate for electronic industry

1.3 Details of the supplier of the safety data sheet

Company : Merck Performance Materials GmbH
Rheingaustrasse 190-196 ,
65203 Wiesbaden Germany

Telephone : +49 (0)611 962 8563

E-mail address of person responsible for the SDS : PSE@merckgroup.com

1.4 Emergency telephone number

Emergency telephone number : +49 69 305 6418 (24/7, English and German)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

GHS Classification

Flammable liquids, Category 3

H226: Flammable liquid and vapour.

2.2 Label elements

GHS-Labeling

Symbol(s) :



Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

Precautionary statements : **Prevention:**

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233	Keep container tightly closed.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

P403 + P235	Store in a well-ventilated place. Keep cool.
-------------	--

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical characterization

Preparation of polymer resins and light sensitive compounds in organic solvents (halogenfree).

Hazardous components

1,3-Benzenedimethanol, 2-hydroxy-5-(1,1,3,3-tetramethylbutyl)-

CAS-No. : 5568-04-7
Registration number : 01-0000019532-72-0000
Classification : Acute Tox. 4; H302
(REGULATION (EC) No 1272/2008)
Concentration [%] : < 10

2-methoxypropyl acetate

CAS-No. : 70657-70-4
EC-No. : 274-724-2
Classification : Flam. Liq. 3; H226
(REGULATION (EC) No 1272/2008) Repr. 1B; H360D
STOT SE 3; H335

Concentration [%] : < 0,3

WEL substance :

2-methoxy-1-methylethyl acetate

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

CAS-No. : 108-65-6
EC-No. : 203-603-9
Registration number : 01-2119475791-29-xxxx
Classification : Flam. Liq. 3; H226
(REGULATION (EC) No
1272/2008)
Concentration [%] : $\geq 50 - \leq 100$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off all contaminated clothing immediately.
If symptoms persist, call a physician.
Show this safety data sheet to the doctor in attendance.

Inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin contact : Wash off immediately with plenty of water.
If skin irritation persists, call a physician.

Eye contact : Immediately flush eye(s) with plenty of water.
Protect unharmed eye.
Remove contact lenses.

Ingestion : If symptoms persist, call a physician.
Show this safety data sheet to the doctor in attendance.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet
Foam
Dry powder
Carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:
Carbon dioxide (CO₂)
Carbon monoxide

5.3 Advice for firefighters

Special protective equipment for firefighters : Well closed full protective clothing (coat and pants) including helmet.
In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.
Clean contaminated floors and objects thoroughly while observing environmental regulations.

6.4 Reference to other sections

Additional advice : Information regarding Waste Disposal, see chapter 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Store in original container.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

areas and containers

Further information on storage conditions : Keep container tightly closed in a dry and well-ventilated place.
Protect against light.

Advice on common storage : Keep away from food and drink.

7.3 Specific end use(s)

: No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components	:	2-methoxy-1-methylethyl acetate
CAS-No.	:	108-65-6
Value	:	AGW
Control parameters	:	50 ppm 270 mg/m ³
Category short-time exposure	:	1;(I)
Update	:	2006-01-01
Basis	:	DE TRGS 900
Further information	:	DFG: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).European Union (The EU has established a limit value: deviations in value and peak limit are possible)When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child

Components	:	2-methoxypropyl acetate
CAS-No.	:	70657-70-4
Value	:	AGW
Control parameters	:	5 ppm 28 mg/m ³
Category short-time exposure	:	8;(II)
Update	:	2006-01-01
Basis	:	DE TRGS 900
Further information	:	DFG: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).Skin absorptionWhen there is compliance with the OEL and biological tolerance values, harm to the unborn child can not be excluded

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

2-methoxy-1-methylethyl acetate : End Use: Workers
Exposure routes: Skin contact
Potential health effects: Chronic effects
Value: 54,8 mg/kg

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Chronic effects
Value: 33 mg/m³

End Use: Workers
Exposure routes: Ingestion
Potential health effects: Chronic effects
1,67 mg/kg

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Chronic effects
153,5 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Chronic effects
275 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

2-methoxy-1-methylethyl acetate : Fresh water
Value: 0,635 mg/l

Marine water
Value: 0,0635 mg/l

Fresh water sediment
Value: 3,29 mg/kg

Marine sediment
Value: 0,329 mg/kg

Soil
Value: 0,29 mg/kg

8.2 Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

- Respiratory protection : Use respiratory protection in case of insufficient exhaust ventilation or prolonged exposure
Recommended Filter type:
ABEK-filter
- Hand protection : Break through time: > 10 min
Glove thickness: > 0,4 mm
For short-term exposure (splash protection):
Nitrile rubber gloves.
Remarks: These types of protective gloves are offered by various manufacturers. Please note the manufacturers' detailed statements, especially about the minimum thickness and the minimum breakthrough time. Consider also the particular working conditions under which the gloves are being used.
- Eye protection : Tightly fitting safety goggles
- Skin and body protection : protective clothing
- Hygiene measures : When using do not eat, drink or smoke.
Keep away from food and drink.
Wash hands before breaks and at the end of workday.
Use barrier skin cream.
- Protective measures : Do not breathe vapours or spray mist.
Avoid contact with skin and eyes.
Observe the usual precautions for handling chemicals.
- Environmental exposure controls**
- General advice : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

- Form : liquid
Colour : clear
yellow
- Odour : strong
characteristic

Safety data

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

Flash point	: 43 °C
Ignition temperature	: not determined
Thermal decomposition	: not determined
Lower explosion limit	: not determined
Upper explosion limit	: not determined
Flammability (solid, gas)	: not determined
Oxidizing properties	: not determined
Auto-ignition temperature	: not determined
Burning number	: not determined
pH	: Not applicable
Freezing point	: not determined
Starts to boil	: 145 °C
Sublimation point	: not determined
Vapour pressure	: app. 2,9 hPa
Density	: ca. 1,07 g/cm ³
Water solubility	: The solvent is partially water soluble but the product forms two layers.
Partition coefficient: n-octanol/water	: no data available
Solubility in other solvents	: not determined
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Relative vapour density	: not determined
Corrosive in contact with metals	: not determined
Evaporation rate	: not determined

9.2 Other information

Further information : Remarks: No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

Strong acids
Bases

10.6 Hazardous decomposition products

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Acute oral toxicity : Acute Toxicity Estimate (ATE): 44.924 mg/kg, Calculation method
Acute inhalation toxicity : no data available
Acute dermal toxicity : no data available
Skin corrosion/irritation : no data available
Serious eye damage/eye irritation : no data available
Respiratory or skin sensitisation : no data available
Further information : no data available

Components:

1,3-Benzenedimethanol, 2-hydroxy-5-(1,1,3,3-tetramethylbutyl)- :

Acute oral toxicity : LD50: app. 500 mg/kg, rat(female), 96/54/EC - B1 tris - OECD 423, GLP: yes

2-methoxypropyl acetate :

Reproductive toxicity : May damage the unborn child.

2-methoxy-1-methylethyl acetate :

Acute oral toxicity : LD50: > 8.532 mg/kg, rat(female)

Acute inhalation toxicity : LC50: > 10,8 mg/l, 6 h, rat,

Acute dermal toxicity : LD50: > 5.000 mg/kg, rabbit

SECTION 12: Ecological information

12.1 Toxicity

Components:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

2-methoxy-1-methylethyl acetate:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 100 mg/l
Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 373 mg/l
aquatic invertebrates Exposure time: 48 h

12.2 Persistence and degradability

Components:

2-methoxy-1-methylethyl acetate :

Biodegradability : Result: Readily biodegradable.
Biodegradation: 99 %
Exposure time: 28 d

12.3 Bioaccumulative potential

Components:

2-methoxy-1-methylethyl acetate :

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n- : log Pow: 1,2
octanol/water

12.4 Mobility in soil

Components:

2-methoxy-1-methylethyl acetate :

Distribution among : Koc: 1,7Remarks: Highly mobile in soils
environmental compartments

12.5 Results of PBT and vPvB assessment

Components:

2-methoxy-1-methylethyl acetate :

Assessment : The substance does not fulfill the PBT criteria.. The substance
does not fulfill the vPvB criteria..

12.6 Other adverse effects

Product:

Additional ecological : no data available
information

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Dispose of contents/ container to an approved waste disposal plant.
- Contaminated packaging : Dispose of as unused product.

SECTION 14: Transport information

ADR

- UN number : 1993
Description of the goods : FLAMMABLE LIQUID, N.O.S.
(2-Methoxy-1-methylethyl acetate)
Class : 3
Packing group : III
Classification Code : F1
Labels : 3
Environmentally hazardous : no

IATA

- UN number : 1993
Description of the goods : Flammable liquid, n.o.s.
(2-Methoxy-1-methylethyl acetate)
Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : no

IMDG

- UN number : 1993
Description of the goods : FLAMMABLE LIQUID, N.O.S.
(2-Methoxy-1-methylethyl acetate)
Class : 3
Packing group : III
Labels : 3
EmS Number 1 : F-E
EmS Number 2 : S-E
Marine pollutant : no

RID

- UN number : 1993
Description of the goods : FLAMMABLE LIQUID, N.O.S.
(2-Methoxy-1-methylethyl acetate)
Class : 3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

Packing group : III
Classification Code : F1
Labels : 3
Environmentally hazardous : no

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors : Neither banned nor restricted

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : 108-65-6

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Neither banned nor restricted

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Neither banned nor restricted

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Neither banned nor restricted

Regulation (EC) No 850/2004 on persistent organic pollutants : Neither banned nor restricted

Water contaminating class (Germany) : WGK 2 water endangering
Remarks: Data in accordance with the VwVsS regulation for mixtures.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for a mixture.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668
Version 1.1 DE-GHS

Revision Date 17.04.2015

Print Date 13.08.2015

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H335	May cause respiratory irritation.
H360D	May damage the unborn child.

Decimal notation: "Thousands" places are identified with a dot (example: 2.000 mg/kg means "two thousand mg/kg"). Decimal places are identified with a comma (example: 1,35 g/cm³)

Further information

Further information : Observe national and local legal requirements

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AZ and the AZ logo are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates.