

**1 Identification of the substance/mixture and of the company**

- **Product identifier**
- **Trade name:** gL-Rinse
- **Product number:** A234080
- **Application of the substance / the mixture**  
To be used by technically qualified personnel for research and development use only.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
MicroChem Corp.  
200 Flanders Road  
Westborough, MA 01581 USA
- **Information department:**  
Product Safety  
Email: [productsafety@microchem.com](mailto:productsafety@microchem.com)
- **Emergency telephone number:**  
MicroChem Corp : 617-965-5511  
Chemtrec USA Emergency : 800-424-9300  
Chemtrec International Emergency : 703-527-3887

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225      Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 2      H351      Suspected of causing cancer.



GHS07

Eye Irrit. 2A H319      Causes serious eye irritation.  
STOT SE 3      H335-H336      May cause respiratory irritation. May cause drowsiness or dizziness.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02



GHS07



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
Methyl isobutyl ketone
- **Hazard statements**  
H225      Highly flammable liquid and vapor.

(Contd. on page 2)

Trade name: gL-Rinse

(Contd. of page 1)

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: Alcohol resistant foam.

P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.

P370+P378 In case of fire: Use for extinction: Carbon dioxide.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**· **NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 3

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

HEALTH 2 Health = 2

FIRE 3 Fire = 3

REACTIVITY 0 Reactivity = 0

· **Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.**3 Composition/information on ingredients**· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

67-63-0	isopropyl alcohol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	60-80%
108-10-1	Methyl isobutyl ketone ⚠ Flam. Liq. 2, H225; ⚠ Carc. 2, H351; ⚠ Acute Tox. 4, H332; Eye Irrit. 2, H319; STOT SE 3, H335	10-25%

USA

(Contd. on page 3)

Trade name: gL-Rinse

(Contd. of page 2)

**4 First-aid measures**

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (at least 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.
- **After swallowing:**  
Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Alcohol resistant foam  
Fire-extinguishing powder  
Carbon dioxide
- **For safety reasons unsuitable extinguishing agents:**  
Water with full jet  
Water
- **Special hazards arising from the substance or mixture**  
Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.
- **Advice for firefighters**
- **Protective equipment:** Wear SCBA.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Keep away from ignition sources
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

USA

(Contd. on page 4)

Trade name: gL-Rinse

(Contd. of page 3)

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaust at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Use explosion-proof apparatus / fittings and spark-proof tools.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and containers:** Store in a cool location.
- **Information about storage in one common storage facility:**  
Do not store together with oxidizing and acidic materials.  
Do not store together with alkalis (caustic solutions).
- **Further information about storage conditions:**  
Keep container well-sealed in cool, dry location.  
Protect from heat and direct sunlight.  
Store receptacle in a well ventilated area.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· <b>Components with limit values that require monitoring at the workplace:</b>	
---	--

<b>67-63-0 isopropyl alcohol</b>	
----------------------------------	--

PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
TLV	Short-term value: 984 mg/m <sup>3</sup> , 400 ppm Long-term value: 492 mg/m <sup>3</sup> , 200 ppm BEI

<b>108-10-1 Methyl isobutyl ketone</b>	
--	--

PEL	Long-term value: 410 mg/m <sup>3</sup> , 100 ppm
REL	Short-term value: 300 mg/m <sup>3</sup> , 75 ppm Long-term value: 205 mg/m <sup>3</sup> , 50 ppm
TLV	Short-term value: 307 mg/m <sup>3</sup> , 75 ppm Long-term value: 82 mg/m <sup>3</sup> , 20 ppm BEI

· <b>Ingredients with biological limit values:</b>	
--	--

<b>67-63-0 isopropyl alcohol</b>	
----------------------------------	--

BEI	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
-----	---

(Contd. on page 5)

Trade name: gL-Rinse

(Contd. of page 4)

**108-10-1 Methyl isobutyl ketone**

BEI	1 mg/L
	Medium: urine
	Time: end of shift
	Parameter: MIBK

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from food and beverages.
  - Immediately remove all soiled and contaminated clothing.
  - Wash hands before breaks and at the end of work.
  - Avoid contact with the eyes.
  - Avoid contact with the eyes and skin.
- **Respiratory equipment:**
  - In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA.
- **Protection of hands:**



Protective gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves** Nitrile rubber, NBR
- **Penetration time of glove material** Contact glove manufacture for break-through time.
- **Eye protection:**



Tightly sealed goggles

**9 Physical and chemical properties**

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Color:	Clear to light yellow
Odor:	Alcohol-like
Odour threshold:	Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	82 °C (180 °F)
- **Flash point:** 12 °C (54 °F)
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** 425 °C (797 °F)

(Contd. on page 6)

Trade name: gL-Rinse

(Contd. of page 5)

· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· <b>Explosion limits:</b>	
<b>Lower:</b>	1.7 Vol %
<b>Upper:</b>	12.0 Vol %
· <b>Vapor pressure at 20 °C (68 °F):</b>	33 hPa (25 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	0.78816 g/cm <sup>3</sup> (6.577 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	1.6-2.3 (BuAc=1)
· <b>Solubility in / Miscibility with Water:</b>	Water miscible No
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	100.0 %
<b>VOC content:</b>	100.0 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability** Stable under normal use conditions
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Possible formation of peroxide.
- **Conditions to avoid**  
Contact with incompatible materials.  
Heat, flames and sparks. Extremes of temperature and direct sunlight.
- **Incompatible materials:**  
Strong Acids, Strong Bases, Strong Oxidizing Agents, Caustics, Amines, Alkanolamines, Aldehydes, Chlorinated Compounds
- **Hazardous decomposition products:**  
Flammable gases/vapors  
Carbon monoxide and carbon dioxide

USA

(Contd. on page 7)

Trade name: gL-Rinse

(Contd. of page 6)

**11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

**67-63-0 isopropyl alcohol**

Oral	LD50	5045 mg/kg (Rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (Rat)

**108-10-1 Methyl isobutyl ketone**

Oral	LD50	2080 mg/kg (Rat)
Dermal	LD50	1600 mg/kg (rab)
Inhalative	LC50/4 h	100 mg/l (Rat)

· Primary irritant effect:

· on the skin: Irritant to skin and mucous membranes.

· on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0	isopropyl alcohol	3
108-10-1	Methyl isobutyl ketone	108-10-1

· NTP (National Toxicology Program)

None of the ingredients are listed.

**12 Ecological information**

· Toxicity

· Aquatic toxicity:

**67-63-0 isopropyl alcohol**

EC50/48 h	7550-13300 mg/l (daphnia magna) (immobilization)
EC50/72 h	>1000 mg/l (scenedesmus subspicatus) (Growth rate inhibition)
LC50/96 h	9640-10400 mg/l (Pimephales promelas)

**108-10-1 Methyl isobutyl ketone**

EC50/96 hr	980 mg/l (scenedesmus subspicatus)
	400 mg/l (Selenastrum capricornutum)
LC50/24 h	5000 mg/l (daphnia magna)
	460 mg/l (goldfish)
LC50/96 h	505 mg/l (fathead minnow)
	505-540 mg/l (Pimephales promelas)
	600 mg/l (Salmo gairdneri)

· Persistence and degradability No further relevant information available.

(Contd. on page 8)

Trade name: gL-Rinse



(Contd. of page 7)

- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system.  
Disposal must be made in accordance with Federal, State, and Local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made in accordance with Federal, State, and Local regulations.

**14 Transport information**

- |                                     |   |
|-------------------------------------|---|
| · <b>UN-Number</b>                  | UN1993  |
| · <b>DOT, ADR, IMDG, IATA</b>       |   |
| · <b>UN proper shipping name</b>    | Flammable liquids, n.o.s. (Isopropanol (Isopropyl alcohol), Methyl isobutyl ketone) |
| · <b>DOT, ADR</b>                   |   |
| · <b>IMDG, IATA</b>                 | FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), METHYL ISOBUTYL KETONE)  |
| · <b>Transport hazard class(es)</b> |   |
| · <b>DOT</b>                        |   |
|                                     |  |
| · <b>Class</b>                      | 3 Flammable liquids.  |
| · <b>Label</b>                      | 3   |
| -----                               |   |
| · <b>ADR, IMDG, IATA</b>            |   |
|                                     |  |
| · <b>Class</b>                      | 3 Flammable liquids   |
| · <b>Label</b>                      | 3   |
| · <b>Packing group</b>              |   |
| · <b>DOT, ADR, IMDG, IATA</b>       | II  |

(Contd. on page 9)



Trade name: gL-Rinse

(Contd. of page 8)

· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Warning: Flammable liquids
· <b>Danger code (Kemler):</b>	33
· <b>EMS Number:</b>	F-E,S-E
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	UN1993, Flammable liquids, n.o.s. (Isopropanol (Isopropyl alcohol), Methyl isobutyl ketone), 3, II

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

All ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed or comply with TSCA regulations.

· **Proposition 65**

· **Chemicals known to cause cancer:**

108-10-1 Methyl isobutyl ketone

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

108-10-1 Methyl isobutyl ketone

I

· **TLV (Threshold Limit Value established by ACGIH)**

67-63-0 isopropyl alcohol

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

· **Massachusetts State Right To Know List**

67-63-0 isopropyl alcohol

108-10-1 Methyl isobutyl ketone

(Contd. on page 10)

Trade name: gL-Rinse

(Contd. of page 9)

· **New Jersey State Right To Know List**

67-63-0	isopropyl alcohol
108-10-1	Methyl isobutyl ketone

· **Pennsylvania Hazardous Substances List**

67-63-0	isopropyl alcohol
108-10-1	Methyl isobutyl ketone

· **California SCAQMD Rule 443.1 VOC's:** No information available.· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).· **Hazard pictograms**

GHS02    GHS07    GHS08

· **Signal word** Danger· **Hazard-determining components of labeling:**

Methyl isobutyl ketone

· **Hazard statements**

H225      Highly flammable liquid and vapor.

H319      Causes serious eye irritation.

H351      Suspected of causing cancer.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· **Precautionary statements**

P210      Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261      Avoid breathing dust/fume/gas/mist/vapours/spray.

P280      Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310      IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340      IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P337+P313      If eye irritation persists: Get medical advice/attention.

P370+P378      In case of fire: Use for extinction: Alcohol resistant foam.

P370+P378      In case of fire: Use for extinction: Fire-extinguishing powder.

P370+P378      In case of fire: Use for extinction: Carbon dioxide.

P302+P352      IF ON SKIN: Wash with plenty of soap and water.

P403+P233      Store in a well-ventilated place. Keep container tightly closed.

P501      Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Product safety department· **Contact:** Mr. Cole· **Revision History:** New SDS· **Date of preparation / last revision** 01/16/2015 / -

(Contd. on page 11)

Printing date 01/16/2015

Reviewed on 01/16/2015

**Trade name: gL-Rinse**

(Contd. of page 10)

**· Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

USA