

Health Monitoring Report

Issue Date:2/26/2020

Company

Ben-Gurion University of the Negev

Supplier Building

M9

Supplier Area

ALL

Room

13

Rack

ALL

Historical Data Date Range

Past 18 months

Species

MOUSE

Strain

ALL

	Test Frequency	Lastest Test Date	Last Results	Testing Laboratory	Test Method	Historical Result
Viruses						
Ectromelia	< 3 months	2/24/2020	0/8	IDEXX	SERO	0/52
EDIM	< 3 months	2/24/2020	0/8	IDEXX	SERO	0/52
Hantaan	3 - 6 months	2/21/2020	0/9	IDEXX	SERO	0/18
K virus	3 - 6 months	2/21/2020	0/9	IDEXX	SERO	0/18
LCMV	< 3 months	2/24/2020	0/8	IDEXX	SERO	0/52
LDEV	3 - 6 months	2/21/2020	0/9	IDEXX	SERO	0/18
MAV1	3 - 6 months	2/21/2020	0/9	IDEXX	SERO	0/18
MAV2	3 - 6 months	2/21/2020	0/9	IDEXX	SERO	0/18
MCMV	3 - 6 months	2/21/2020	0/9	IDEXX	SERO	0/18
MHV	< 3 months	2/24/2020	0/8	IDEXX	SERO	0/52
MNV	< 3 months	2/24/2020	0/8	IDEXX	SERO	0/52
Mouse kidney parvovirus (MKPV)	-	2/21/2020	5/9	IDEXX	PCR	5/9
MPV	< 3 months	2/24/2020	0/8	IDEXX	SERO	0/52
MTV	3 - 6 months	2/21/2020	0/9	IDEXX	SERO	0/18
MVM	< 3 months	2/24/2020	0/8	IDEXX	SERO	0/52
Polyoma	3 - 6 months	2/21/2020	0/9	IDEXX	SERO	0/18
PVM	< 3 months	2/24/2020	0/8	IDEXX	SERO	0/52
REO3	< 3 months	2/24/2020	0/8	IDEXX	SERO	0/52
Sendai	< 3 months	2/24/2020	0/8	IDEXX	SERO	0/52
TMEV	< 3 months	2/24/2020	0/8	IDEXX	SERO	0/52
Bacteria, Mycoplasma and Fungi						
Bordetella bronchiseptica	-	2/21/2020	0/9	IDEXX	PCR	0/9
Bordetella hinzii	-	2/21/2020	0/9	IDEXX	PCR	0/9
Campylobacter coli	-	2/21/2020	0/9	IDEXX	PCR	0/9
Campylobacter jejuni	-	2/21/2020	0/9	IDEXX	PCR	0/9
Campylobacter spp.	-	2/21/2020	0/9	IDEXX	PCR	0/9
CAR bacillus	3 - 6 months	2/21/2020	0/9	IDEXX	SERO	0/18
Citrobacter rodentium	-	2/21/2020	0/9	IDEXX	PCR	0/9
Clostridium piliforme	3 - 6 months	2/21/2020	0/9	IDEXX	SERO	0/18
Corynebacterium kutscheri	-	2/21/2020	0/9	IDEXX	PCR	0/9
Helicobacter bilis	3 - 6 months	2/21/2020	0/9	IDEXX	PCR	0/44
Helicobacter ganmani	3 - 6 months	2/21/2020	0/9	IDEXX	PCR	0/44
Helicobacter hepaticus	3 - 6 months	2/21/2020	0/9	IDEXX	PCR	0/44
Helicobacter mastomyrinus	3 - 6 months	2/21/2020	0/9	IDEXX	PCR	0/44
Helicobacter rodentium	3 - 6 months	2/21/2020	0/9	IDEXX	PCR	0/44
Helicobacter spp.	3 - 6 months	2/21/2020	0/9	IDEXX	PCR	0/44
Helicobacter typhlonius	3 - 6 months	2/21/2020	0/9	IDEXX	PCR	0/44
Klebsiella oxytoca	-	2/21/2020	0/9	IDEXX	PCR	0/9
Klebsiella pneumoniae	-	2/21/2020	0/9	IDEXX	PCR	0/9

	Test Frequency	Lastest Test Date	Last Results	Testing Laboratory	Test Method	Historical Result
Mycoplasma pulmonis	< 3 months	2/24/2020	0/8	IDEXX	SERO	0/52
Pasteurella multocida	-	2/21/2020	0/9	IDEXX	PCR	0/9
Pasteurella pneumotropica biotype Heyl	< 3 months	2/24/2020	0/8	IDEXX	PCR	0/51
Pasteurella pneumotropica biotype Jawetz	< 3 months	2/24/2020	0/8	IDEXX	PCR	1/51
Proteus mirabilis	-	2/21/2020	0/9	IDEXX	PCR	0/9
Pseudomonas aeruginosa	-	2/21/2020	0/9	IDEXX	PCR	0/9
Salmonella spp.	-	2/21/2020	0/9	IDEXX	PCR	0/9
Staphylococcus aureus	-	2/21/2020	0/9	IDEXX	PCR	0/9
Streptobacillus moniliformis	9 - 12 months	2/21/2020	0/9	IDEXX	PCR	0/17
Streptococcus pneumoniae	-	2/21/2020	0/9	IDEXX	PCR	0/9
Streptococcus sp. beta hemolytic Group A	-	2/21/2020	0/9	IDEXX	PCR	0/9
Streptococcus sp. beta hemolytic Group B	-	2/21/2020	0/9	IDEXX	PCR	0/9
Streptococcus sp. beta hemolytic Group C	-	2/21/2020	0/9	IDEXX	PCR	0/9
Streptococcus sp. beta hemolytic Group G	-	2/21/2020	0/9	IDEXX	PCR	0/9

Parasites and Protozoa

Aspicularis tetraptera	< 3 months	2/24/2020	0/8	IDEXX	PCR	0/52
Cryptosporidium spp.	-	2/21/2020	0/9	IDEXX	PCR	0/9
Encephalitozoon cuniculi	3 - 6 months	2/21/2020	0/9	IDEXX	SERO	0/18
Entamoeba muris	-	2/21/2020	0/9	IDEXX	PCR	0/9
Giardia muris	-	2/21/2020	0/9	IDEXX	PCR	0/9
Myocoptes	< 3 months	2/24/2020	0/8	IDEXX	PCR	0/35
Radfordia/Myobia	< 3 months	2/24/2020	0/8	IDEXX	PCR	0/35
Rodentolepis nana	-	2/21/2020	0/9	IDEXX	PCR	0/9
Spironucleus muris	-	2/21/2020	0/9	IDEXX	PCR	0/9
Syphacia muris	< 3 months	2/24/2020	0/8	IDEXX	PCR	0/52
Syphacia obvelata	< 3 months	2/24/2020	0/8	IDEXX	PCR	0/52
Tritrichomonas muris	-	2/21/2020	0/9	IDEXX	PCR	0/9