

Health Monitoring Report

Issue Date:12/1/2021

Company

Ben-Gurion University of the Negev

Supplier Building

M1

Supplier Area

ALL

Room

657A

Rack

ALL

Historical Data Date Range

Past 18 months

Species

RAT

Strain

ALL

	Test Frequency	Lastest Test Date	Last Results	Testing Laboratory	Test Method	Historical Result
Bacteria, Mycoplasma and Fungi						
Bordetella bronchiseptica	-	1/25/2021	0/1	IDEXX	PCR	0/1
CAR bacillus	-	1/25/2021	0/1	IDEXX	SERO	0/1
Clostridium piliforme	-	1/25/2021	0/1	IDEXX	SERO	0/1
Corynebacterium kutscheri	-	1/25/2021	0/1	IDEXX	PCR	0/1
Helicobacter bilis	3 - 6 months	11/30/2021	0/1	IDEXX	PCR	0/4
Helicobacter ganmani	3 - 6 months	11/30/2021	0/1	IDEXX	PCR	0/4
Helicobacter hepaticus	3 - 6 months	11/30/2021	0/1	IDEXX	PCR	0/4
Helicobacter mastomyrinus	3 - 6 months	11/30/2021	0/1	IDEXX	PCR	0/4
Helicobacter rodentium	3 - 6 months	11/30/2021	0/1	IDEXX	PCR	0/4
Helicobacter spp.	3 - 6 months	11/30/2021	0/1	IDEXX	PCR	0/4
Helicobacter typhlonius	3 - 6 months	11/30/2021	0/1	IDEXX	PCR	0/4
Mycoplasma pulmonis	3 - 6 months	11/30/2021	0/1	IDEXX	SERO	0/6
Pasteurella multocida	-	1/25/2021	0/1	IDEXX	PCR	0/1
Pasteurella pneumotropica biotype Heyl	6 - 9 months	11/30/2021	0/1	IDEXX	PCR	0/4
Pasteurella pneumotropica biotype Jawetz	6 - 9 months	11/30/2021	0/1	IDEXX	PCR	0/4
Pneumocystis carinii	3 - 6 months	11/30/2021	0/1	IDEXX	SERO	0/6
Staphylococcus aureus	3 - 6 months	4/28/2021	0/1	IDEXX	PCR	1/2
Streptobacillus moniliformis	3 - 6 months	4/28/2021	0/1	IDEXX	PCR	0/2
Streptococcus pneumoniae	3 - 6 months	4/28/2021	0/1	IDEXX	PCR	0/2
Streptococcus sp. beta hemolytic Group A	3 - 6 months	4/28/2021	0/1	IDEXX	PCR	0/2
Streptococcus sp. beta hemolytic Group B	3 - 6 months	4/28/2021	1/1	IDEXX	PCR	1/2
Streptococcus sp. beta hemolytic Group C	3 - 6 months	4/28/2021	0/1	IDEXX	PCR	0/2
Streptococcus sp. beta hemolytic Group G	3 - 6 months	4/28/2021	0/1	IDEXX	PCR	0/2
Parasites and Protozoa						
Aspicularis tetraptera	3 - 6 months	11/30/2021	0/1	IDEXX	PCR	0/6
Encephalitozoon cuniculi	-	1/25/2021	0/1	IDEXX	SERO	0/1
Mycopetes	9 - 12 months	11/30/2021	0/1	IDEXX	PCR	0/3
Radfordia/Myobia	9 - 12 months	11/30/2021	0/1	IDEXX	PCR	0/3
Syphacia muris	3 - 6 months	11/30/2021	0/1	IDEXX	PCR	0/6
Syphacia obvelata	3 - 6 months	11/30/2021	0/1	IDEXX	PCR	0/6
Viruses						
H1	3 - 6 months	11/30/2021	0/1	IDEXX	SERO	0/6
Hantaan	-	1/25/2021	0/1	IDEXX	SERO	0/1
IDIR	-	1/25/2021	0/1	IDEXX	SERO	0/1
KRV	3 - 6 months	11/30/2021	0/1	IDEXX	SERO	0/6

	Test Frequency	Lastest Test Date	Last Results	Testing Laboratory	Test Method	Historical Result
LCMV	3 - 6 months	11/30/2021	0/1	IDEXX	SERO	0/6
MAV1	-	1/25/2021	0/1	IDEXX	SERO	0/1
MAV2	-	1/25/2021	0/1	IDEXX	SERO	0/1
PVM	3 - 6 months	11/30/2021	0/1	IDEXX	SERO	0/6
Rat polyomavirus 2	-	1/25/2021	0/1	IDEXX	SERO	0/1
RCV/SDAV	3 - 6 months	11/30/2021	0/1	IDEXX	SERO	0/6
REO3	3 - 6 months	11/30/2021	0/1	IDEXX	SERO	0/6
RMV	3 - 6 months	11/30/2021	0/1	IDEXX	SERO	0/6
RPV	3 - 6 months	11/30/2021	0/1	IDEXX	SERO	0/6
RTV	3 - 6 months	11/30/2021	0/1	IDEXX	SERO	0/6
Sendai	3 - 6 months	11/30/2021	0/1	IDEXX	SERO	0/6