

Health Monitoring Report

Issue Date:9/15/2022

Company

Ben-Gurion University of the Negev

Supplier Building

M1

Supplier Area

ALL

Room

657B

Rack

ALL

Historical Data Date Range

Past 18 months

Species

RAT

Strain

ALL

	Test Frequency	Lastest Test Date	Last Results	Testing Laboratory	Test Method	Historical Result
Bacteria, Mycoplasma and Fungi						
Bordetella bronchiseptica	-	6/13/2022	0/1	IDEXX	PCR	0/1
CAR bacillus	-	6/13/2022	0/1	IDEXX	SERO	0/1
Clostridium piliforme	-	6/13/2022	0/1	IDEXX	SERO	0/1
Corynebacterium kutscheri	-	6/13/2022	0/1	IDEXX	PCR	0/1
Helicobacter bilis	3 - 6 months	9/13/2022	0/1	IDEXX	PCR	0/5
Helicobacter ganmani	3 - 6 months	9/13/2022	0/1	IDEXX	PCR	0/5
Helicobacter hepaticus	3 - 6 months	9/13/2022	0/1	IDEXX	PCR	0/5
Helicobacter mastomyrinus	3 - 6 months	9/13/2022	0/1	IDEXX	PCR	0/5
Helicobacter rodentium	3 - 6 months	9/13/2022	0/1	IDEXX	PCR	0/5
Helicobacter spp.	3 - 6 months	9/13/2022	0/1	IDEXX	PCR	0/5
Helicobacter typhlonius	3 - 6 months	9/13/2022	0/1	IDEXX	PCR	0/5
Mycoplasma pulmonis	3 - 6 months	9/13/2022	0/1	IDEXX	SERO	0/6
Pasteurella multocida	-	6/13/2022	0/1	IDEXX	PCR	0/1
Pasteurella pneumotropica biotype Heyl	6 - 9 months	6/13/2022	0/1	IDEXX	PCR	0/3
Pasteurella pneumotropica biotype Jawetz	6 - 9 months	6/13/2022	0/1	IDEXX	PCR	0/3
Pneumocystis carinii	3 - 6 months	9/13/2022	0/1	IDEXX	SERO	0/6
Staphylococcus aureus	> 12 months	6/13/2022	0/1	IDEXX	PCR	0/2
Streptobacillus moniliformis	> 12 months	6/13/2022	0/1	IDEXX	PCR	0/2
Streptococcus pneumoniae	> 12 months	6/13/2022	0/1	IDEXX	PCR	0/2
Streptococcus sp. beta hemolytic Group A	> 12 months	6/13/2022	0/1	IDEXX	PCR	0/2
Streptococcus sp. beta hemolytic Group B	> 12 months	6/13/2022	0/1	IDEXX	PCR	0/2
Streptococcus sp. beta hemolytic Group C	> 12 months	6/13/2022	0/1	IDEXX	PCR	0/2
Streptococcus sp. beta hemolytic Group G	> 12 months	6/13/2022	0/1	IDEXX	PCR	0/2
Parasites and Protozoa						
Aspicularis tetraptera	3 - 6 months	9/13/2022	0/1	IDEXX	PCR	0/6
Encephalitozoon cuniculi	-	6/13/2022	0/1	IDEXX	SERO	0/1
Myocoptes	3 - 6 months	6/13/2022	0/1	IDEXX	PCR	0/3
Radfordia/Myobia	3 - 6 months	6/13/2022	0/1	IDEXX	PCR	0/3
Syphacia muris	3 - 6 months	9/13/2022	0/1	IDEXX	PCR	0/6
Syphacia obvelata	3 - 6 months	9/13/2022	0/1	IDEXX	PCR	0/6
Viruses						
H1	3 - 6 months	9/13/2022	0/1	IDEXX	SERO	0/6
Hantaan	-	6/13/2022	0/1	IDEXX	SERO	0/1
IDIR	-	6/13/2022	0/1	IDEXX	SERO	0/1
KRV	3 - 6 months	9/13/2022	0/1	IDEXX	SERO	0/6

	Test Frequency	Lastest Test Date	Last Results	Testing Laboratory	Test Method	Historical Result
LCMV	3 - 6 months	9/13/2022	0/1	IDEXX	SERO	0/6
MAV1	-	6/13/2022	0/1	IDEXX	SERO	0/1
MAV2	-	6/13/2022	0/1	IDEXX	SERO	0/1
PVM	3 - 6 months	9/13/2022	0/1	IDEXX	SERO	0/6
Rat polyomavirus 2	-	6/13/2022	0/1	IDEXX	SERO	0/1
RCV/SDAV	3 - 6 months	9/13/2022	0/1	IDEXX	SERO	0/6
REO3	3 - 6 months	9/13/2022	0/1	IDEXX	SERO	0/6
RMV	3 - 6 months	9/13/2022	0/1	IDEXX	SERO	0/6
RPV	3 - 6 months	9/13/2022	0/1	IDEXX	SERO	0/6
RTV	3 - 6 months	9/13/2022	0/1	IDEXX	SERO	0/6
Sendai	3 - 6 months	9/13/2022	0/1	IDEXX	SERO	0/6