

Health Monitoring Report

Issue Date:9/15/2022

Company

Ben-Gurion University of the Negev

Supplier Building

M9

Supplier Area

GMO

Room

18

Rack

ALL

Historical Data Date Range

Past 18 months

Species

MOUSE

Strain

ALL

	Test Frequency	Lastest Test Date	Last Results	Testing Laboratory	Test Method	Historical Result
Bacteria, Mycoplasma and Fungi						
Helicobacter bilis	-	9/14/2022	0/1	IDEXX	PCR	0/1
Helicobacter ganmani	-	9/14/2022	0/1	IDEXX	PCR	0/1
Helicobacter hepaticus	-	9/14/2022	0/1	IDEXX	PCR	0/1
Helicobacter mastomyrinus	-	9/14/2022	0/1	IDEXX	PCR	0/1
Helicobacter rodentium	-	9/14/2022	0/1	IDEXX	PCR	0/1
Helicobacter spp.	-	9/14/2022	0/1	IDEXX	PCR	0/1
Helicobacter typhlonius	-	9/14/2022	0/1	IDEXX	PCR	0/1
Mycoplasma pulmonis	-	9/14/2022	0/1	IDEXX	SERO	0/1
Pasteurella pneumotropica biotype Heyl	-	9/14/2022	0/1	IDEXX	PCR	0/1
Pasteurella pneumotropica biotype Jawetz	-	9/14/2022	0/1	IDEXX	PCR	0/1
Parasites and Protozoa						
Aspicularis tetraptera	-	9/14/2022	0/1	IDEXX	PCR	0/1
Syphacia muris	-	9/14/2022	0/1	IDEXX	PCR	0/1
Syphacia obvelata	-	9/14/2022	0/1	IDEXX	PCR	0/1
Viruses						
Ectromelia	-	9/14/2022	0/1	IDEXX	SERO	0/1
EDIM	-	9/14/2022	0/1	IDEXX	SERO	0/1
LCMV	-	9/14/2022	0/1	IDEXX	SERO	0/1
MHV	-	9/14/2022	0/1	IDEXX	SERO	0/1
MNV	-	9/14/2022	0/1	IDEXX	SERO	0/1
MPV	-	9/14/2022	0/1	IDEXX	SERO	0/1
MVM	-	9/14/2022	0/1	IDEXX	SERO	0/1
PVM	-	9/14/2022	0/1	IDEXX	SERO	0/1
REO3	-	9/14/2022	0/1	IDEXX	SERO	0/1
Sendai	-	9/14/2022	0/1	IDEXX	SERO	0/1
TMEV	-	9/14/2022	0/1	IDEXX	SERO	0/1