

Health Monitoring Report

Issue Date:12/13/2022

Company

Ben-Gurion University of the Negev

Supplier Building

M9

Supplier Area

GMO

Room

18

Rack

ALL

Historical Data Date Range

Past 18 months

Species

MOUSE

Strain

ICR

	Test Frequency	Lastest Test Date	Last Results	Testing Laboratory	Test Method	Historical Result
Bacteria, Mycoplasma and Fungi						
Helicobacter bilis	< 3 months	12/12/2022	0/1	IDEXX	PCR	0/2
Helicobacter ganmani	< 3 months	12/12/2022	0/1	IDEXX	PCR	0/2
Helicobacter hepaticus	< 3 months	12/12/2022	0/1	IDEXX	PCR	0/2
Helicobacter mastomyrinus	< 3 months	12/12/2022	0/1	IDEXX	PCR	0/2
Helicobacter rodentium	< 3 months	12/12/2022	0/1	IDEXX	PCR	0/2
Helicobacter spp.	< 3 months	12/12/2022	0/1	IDEXX	PCR	0/2
Helicobacter typhlonius	< 3 months	12/12/2022	0/1	IDEXX	PCR	0/2
Mycoplasma pulmonis	< 3 months	12/12/2022	0/1	IDEXX	SERO	0/2
Pasteurella pneumotropica biotype Heyl	< 3 months	12/12/2022	0/1	IDEXX	PCR	0/2
Pasteurella pneumotropica biotype Jawetz	< 3 months	12/12/2022	0/1	IDEXX	PCR	0/2
Parasites and Protozoa						
Aspicularis tetraptera	< 3 months	12/12/2022	0/1	IDEXX	PCR	0/2
Mycopotes	-	12/12/2022	0/1	IDEXX	PCR	0/1
Radfordia/Myobia	-	12/12/2022	0/1	IDEXX	PCR	0/1
Syphacia muris	< 3 months	12/12/2022	0/1	IDEXX	PCR	0/2
Syphacia obvelata	< 3 months	12/12/2022	0/1	IDEXX	PCR	0/2
Viruses						
Ectromelia	< 3 months	12/12/2022	0/1	IDEXX	SERO	0/2
EDIM	< 3 months	12/12/2022	0/1	IDEXX	SERO	0/2
LCMV	< 3 months	12/12/2022	0/1	IDEXX	SERO	0/2
MHV	< 3 months	12/12/2022	0/1	IDEXX	SERO	0/2
MNV	< 3 months	12/12/2022	0/1	IDEXX	SERO	0/2
MPV	< 3 months	12/12/2022	0/1	IDEXX	SERO	0/2
MVM	< 3 months	12/12/2022	0/1	IDEXX	SERO	0/2
PVM	< 3 months	12/12/2022	0/1	IDEXX	SERO	0/2
REO3	< 3 months	12/12/2022	0/1	IDEXX	SERO	0/2
Sendai	< 3 months	12/12/2022	0/1	IDEXX	SERO	0/2
TMEV	< 3 months	12/12/2022	0/1	IDEXX	SERO	0/2